

**2019**

**Communicable  
Disease Report**

**February 2022 Revision**

DOH 420-004



Prepared by  
Disease Control and Health Statistics  
Office of Communicable Disease  
Epidemiology



For persons with disabilities, this document is available in other formats.  
Please call 800-525-0127 (TTY 711) or email [civil.rights@doh.wa.gov](mailto:civil.rights@doh.wa.gov).

**Publication Number**

420-004

For more information or additional copies of this report:

Disease Control and Health Statistics

Office of Communicable Disease Epidemiology

1610 NE 150<sup>th</sup> Street

Shoreline, WA 98155

206-418-5500

206-364-1060 (fax)

[CommDisEpi@doh.wa.gov](mailto:CommDisEpi@doh.wa.gov)

## Report Reviewers

Wayne Turnberg, PhD, MSPH  
Director, Office of Communicable Disease Epidemiology

Elizabeth Crutsinger-Perry, MSSW, MA  
Director, Office of Infectious Disease

Scott Lindquist, MD, MPH  
State Epidemiologist for Communicable Diseases

This report represents Washington State communicable disease surveillance, the ongoing collection, analysis and dissemination of morbidity and mortality data to prevent and control communicable disease.

Department of Health staff from the following offices and programs contributed to this report:

- Office of Communicable Disease Epidemiology
- Office of Infectious Disease
- Washington State Public Health Laboratories

We'd also like to acknowledge and extend our thanks and appreciation to Washington's local health jurisdictions who contribute to surveillance, investigation, and prevention of communicable diseases in our state, and to the thousands in clinics, hospitals and clinical laboratories throughout Washington whose disease reports are the basis for this document.

# Contents

<b>Executive Summary</b> .....	3
<b>Technical Notes</b> .....	3
<b>Reporting a Notifiable Condition</b> .....	4
<b>Disease Incidence and Mortality Rates</b> .....	10
<b>Appendix I: Other Tables</b> .....	61
<b>Foodborne Disease Outbreaks 2019</b> .....	62
<b>Foodborne Outbreaks 1986-2019</b> .....	69
<i>Haemophilus influenzae</i> <b>2010-2019</b> .....	70
<b>Meningococcal Disease (Invasive) 2010-2019</b> .....	71
<b>Highly Antibiotic Resistant Organism Surveillance 2012-2019</b> .....	72
<b>Rabid Non-Bat Animals and Rabies Strains in Washington 1987-2019</b> .....	73
<b>Washington State Bats Tested for Rabies 2015-2019</b> .....	74
<b>Washington State Animals Tested for Rabies 1988-2019</b> .....	75
<b>Rare Diseases of Public Health Significance 2016-2019</b> .....	76
<b>Waterborne Disease Outbreaks 1992-2019</b> .....	77
<b>Appendix II: Influenza Summary</b> .....	78
<b>Appendix III: State Demographics</b> .....	79
<b>Washington State Population Estimates 1985-2019</b> .....	80
<b>Washington State Population Estimates by County 2019</b> .....	81
<b>Washington State Population by Age and Sex 2019</b> .....	82



## Executive Summary

This report summarizes notifiable communicable diseases reported by local health jurisdictions to the Department of Health (DOH) in 2019. The most common reports continue to be sexually transmitted conditions, chronic hepatitis, diarrheal infections, pertussis, and tuberculosis.

## Technical Notes

Washington Administrative Code (WAC) Chapters 246-100 and 246-101 outline disease reporting requirements: health care providers and facilities, laboratories, veterinarians, food service establishments, childcare facilities and schools must report certain communicable diseases to the local health jurisdiction or DOH. Cases of communicable notifiable conditions are included in this annual report if they met the following criteria\*:

1. Resident of Washington.
2. Qualifying event dates during the 2019 CDC Year (December 30, 2018 – December 28, 2019).
3. Report entered by November 1, 2020 for common condition (>10 cases per year).
4. Reported to DOH prior to November 1, 2020 for uncommon condition ( $\leq 10$  cases per year).
5. First report of very rare conditions (zero to two cases per year) received by DOH after the previous year's deadline.
6. Given a valid DOH case classification by DOH (see: [guidelines for each condition.](#))

Typically, a fraction of the actual number of cases are reported to a surveillance system. Infected persons may: be unaware of being infected, be symptomatic but have not contacted a health care provider, not be confirmed with appropriate tests, or not be reported after the diagnostic testing. Data for reported cases was finalized in the year 2020 and data completeness may have been impacted by the COVID-19 pandemic.

Summary tables with incidence and mortality rates reflect years when data are reliable. Population estimates for rate calculations are from the [Washington State Office of Financial Management](#). Previously reported rates for 2000 through 2010 were updated using population estimates based on the 2010 decennial census. County rates are not provided for fewer than five reported cases.

This report is available online on [DOH's website](#). Additional information on communicable disease surveillance and case investigation in Washington is available on DOH's website under [List of Notifiable Conditions](#).

*\*The inclusion criteria for HIV, hepatitis B, hepatitis C, and sexually transmitted diseases cases in this report can be found in the footnotes underneath each individual data table.*

## Reporting a Notifiable Condition

In accordance with Washington State rule, [chapter 246-101 WAC, public health and health care professionals should report most notifiable conditions](#) to the local health jurisdiction in the county of the patient's residence. [Disease reporting telephone numbers for each local health jurisdiction](#) are provided on DOH's website. If no one is available at the local health jurisdiction and a condition is immediately notifiable or is notifiable to DOH, please call the 24-hour reporting line: 877-539-4344 or 206-418-5500. For a complete list of notifiable conditions for health care providers, hospitals, laboratories and veterinarians, please refer to the corresponding reporting posters available on the DOH website, [How to Report – Posters](#).

Note that the date for changes in chapter 246-101 WAC to take effect has been amended to January 1, 2023.

**Notifiable to the Washington State Department of Health**

**IMMEDIATELY NOTIFIABLE: (suspect or confirmed cases)**

**CDE Notifiable to the Office of Communicable Disease Epidemiology: 1-877-539-4344**

Anthrax Botulism (foodborne, wound, infant) Cholera Diphtheria Disease of suspected bioterrorism origin Emerging condition with outbreak potential Influenza, novel strain Measles (rubeola) Paralytic shellfish poisoning Plague	Poliomyelitis Rabies, human SARS Smallpox Tularemia Viral hemorrhagic fever Yellow fever  Outbreak, or suspected outbreak, of illness due to infectious agent or toxin
--	--

**7 Notifiable within 7 days of case investigation completion or summary information required within 21 days of initial notification for the following:**

<b>CDE Notifiable to the Office of Communicable Disease Epidemiology: 1-877-539-4344</b>		<b>ID Notifiable to Infectious Disease Assessment: 360-236-3464</b>
Arboviral disease (Zika, West Nile virus disease, dengue, eastern and western equine encephalitis, etc.) <b>Brucellosis</b> ⚠️ <b>Burkholderia mallei or pseudomallei</b> ⚠️ Campylobacteriosis Cryptosporidiosis Cyclosporiasis Enterohemorrhagic <i>E. coli</i> (see Shiga toxin-producing <i>E. coli</i> ) Giardiasis <i>Haemophilus influenzae</i> invasive disease Hantavirus pulmonary syndrome Hepatitis A, acute Hepatitis B, acute Hepatitis B, chronic Hepatitis D, acute Hepatitis D, chronic Hepatitis E, acute Influenza-associated death (lab-confirmed) Legionellosis Leptospirosis Listeriosis Lyme disease Malaria Meningococcal disease Monkeypox Mumps Pertussis Prion disease, including Creutzfeldt-Jakob disease (CJD) <b>Psittacosis</b> ⚠️	<b>Q Fever</b> ⚠️ Rabies, suspected human exposure Relapsing fever Rubella Salmonellosis Shiga toxin-producing <i>E. coli</i> infections (enterohemorrhagic <i>E. coli</i> including but not limited to <i>E. coli</i> O157:H7) Shigellosis Tetanus Trichinosis Typhoid fever Vaccinia transmission Vancomycin-resistant <i>Staphylococcus aureus</i> (does not include vancomycin-intermediate) Varicella-associated death Vibriosis Yersiniosis  <b>Other rare diseases of public health significance, including but not limited to:</b> Amoebic meningitis Anaplasmosis Babesiosis Carbapenemase-producing carbapenem-resistant Enterobacteriaceae (CP-CRE) Chagas disease Coccidioidomycosis <i>Cryptococcus gattii</i> Ehrlichiosis Histoplasmosis Shellfish poisoning (diarrhetic) Tickborne rickettsioses (including Rocky Mountain spotted fever) Tick paralysis Typhus  Unexplained critical illness or death	Acquired immunodeficiency syndrome (AIDS) (including AIDS in persons previously reported with HIV infection) Chancroid <i>Chlamydia trachomatis</i> Gonorrhea Granuloma inguinale Hepatitis C, acute Hepatitis C, chronic Herpes simplex HIV infection Lymphogranuloma venereum Syphilis  <b>TB Notifiable to TB Reporting Fax Line: 206-364-1060</b> Tuberculosis  <b>CP Notifiable to Immunization Program CHILD Profile Fax: 360-236-3590</b> Hepatitis B, surface antigen-positive pregnant women Immunization reactions (severe, adverse)
		<b>⚠️ If bioterrorism is suspected, case must be immediately reported.</b>

The conditions listed above are notifiable to the Washington State Department of Health in accordance with [WAC 246-101](#).

• The 2011 revision of [WAC 246-101-010](#) states “‘Other rare diseases of public health significance’ means a disease or condition, of general or international public health concern, which is occasionally or not ordinarily seen in the state of Washington including, but not limited to, spotted fever rickettsiosis, babesiosis, tick paralysis, anaplasmosis, and other tick borne diseases. This also includes public health events of international concern and communicable diseases that would be of general public concern if detected in Washington.”



## Notifiable to the local health jurisdiction (LHJ) of the patient's residence

Phone numbers by LHJ are listed on the other side of this poster. If unable to reach the LHJ of the patient's residence, please call: **1-877-539-4344**

**1 IMMEDIATELY NOTIFIABLE:** Requires a phone call to reach a live person at the local health jurisdiction, 24/7. *Must be reported as soon as clinically suspected.*

- Animal bites, when human exposure to rabies is suspected
- Anthrax
- Botulism (foodborne, wound and infant)
- Burkholderia mallei* (glanders) and *pseudomallei* (melioidosis)
- Cholera
- Diphtheria
- Disease of suspected bioterrorism origin
- Domoic acid poisoning (amnesic shellfish poisoning)
- E. coli* – refer to “Shiga toxin-producing *E. coli* infections”
- Emerging condition with outbreak potential
- Haemophilus influenzae* (invasive disease, children <5 years)
- Influenza, novel or unsubtypeable strain
- Measles (rubeola), acute
- Meningococcal disease (invasive)
- Monkeypox
- Outbreaks of suspected foodborne origin
- Outbreaks of suspected waterborne origin
- Paralytic shellfish poisoning
- Pesticide poisoning—hospitalized, fatal, or cluster:  
**1-800-222-1222**
- Plague
- Poliomyelitis
- Rabies, confirmed human or animal
- Rabies, suspected human exposure
- Rubella (include congenital rubella syndrome), acute
- SARS (Severe Acute Respiratory Syndrome)
- Shiga toxin-producing *E. coli* infections (STEC, including but not limited to *E. coli* O157:H7; also includes post-diarrheal hemolytic uremic syndrome)
- Smallpox
- Tuberculosis
- Tularemia
- Vaccinia transmission
- Viral hemorrhagic fever
- Yellow fever

**2 Notifiable on a monthly basis**

- Asthma, occupational (suspected or confirmed): **1-888-66-SHARP**
- Birth defects: **360-236-3533**  
(autism spectrum disorders, cerebral palsy, alcohol-related birth defects)
- Hepatitis B, chronic (initial diagnosis/previously unreported cases)
- Hepatitis C, chronic

The conditions listed above are notifiable to public health authorities in accordance with [WAC 246-101](#).

- Report to the local health jurisdiction of the patient's residence within the timeframe indicated (except for conditions followed by a reporting phone number).
- ‘Other rare diseases of public health significance’ means a disease or condition, of general or international public health concern, which is occasionally or not ordinarily seen in the state of Washington including, but not limited to, spotted fever rickettsiosis, babesiosis, tick paralysis, anaplasmosis, and other tick borne diseases. This also includes public health events of international concern and communicable diseases that would be of general public concern if detected in Washington.

**3 Notifiable within 24 hours:** Requires a phone call if reporting after normal public health business hours

- Brucellosis
- Hantavirus pulmonary syndrome
- Hepatitis A, acute
- Hepatitis B, acute
- Hepatitis E, acute
- Legionellosis
- Leptospirosis
- Listeriosis
- Mumps, acute
- Pertussis
- Psittacosis
- Q fever
- Relapsing fever (borreliosis)
- Salmonellosis
- Shigellosis
- Vancomycin-resistant *Staphylococcus aureus* (not to include Vancomycin-intermediate)
- Vibriosis
- Yersiniosis
- Other rare diseases of public health significance, including but not limited to:**
  - Amoebic meningitis
  - Anaplasmosis
  - Babesiosis
  - Carbapenemase-producing carbapenem-resistant Enterobacteriaceae (CP-CRE)
  - Chagas disease
  - Coccidioidomycosis
  - Cryptococcus gattii*
  - Ehrlichiosis
  - Histoplasmosis
  - Shellfish poisoning (diarrhetic)
  - Tickborne rickettsioses (including Rocky Mountain spotted fever)
  - Tick paralysis
  - Typhus
- Unexplained critical illness and death

**3 Notifiable within 3 business days**

- Acquired immunodeficiency syndrome (AIDS), including in persons previously reported with HIV infection
- Arboviral disease (acute disease only, including: West Nile virus, dengue, eastern & western equine encephalitis, Zika, etc.)
- Campylobacteriosis
- Chancroid
- Chlamydia trachomatis* infection
- Cryptosporidiosis
- Cyclosporiasis
- Giardiasis
- Gonorrhea
- Granuloma inguinale
- Hepatitis B, surface antigen positive pregnant women
- Hepatitis C, acute
- Hepatitis D, acute and chronic
- Herpes simplex, neonatal and genital (initial infection only)
- HIV infection
- Immunization reactions (severe, adverse)
- Influenza-associated death, laboratory-confirmed
- Lyme disease
- Lymphogranuloma venereum
- Malaria
- Pesticide poisoning-non-hospitalized, non-fatal, non-cluster: **1-800-222-1222**
- Prion disease, including Creutzfeldt-Jakob disease (CJD)
- Syphilis (including congenital)
- Tetanus
- Trichinosis
- Varicella-associated death

## Notifiable to the local health jurisdiction (LHJ) of the patient's residence

Phone numbers by LHJ are listed on the other side of this poster. If unable to reach the LHJ of the patient's residence, please call: **1-877-539-4344**

### **IMMEDIATELY NOTIFIABLE:** Requires a phone call to reach a live person at the local health jurisdiction, 24/7

*Must be reported as soon as clinically suspected*

Animal bites, when human exposure to rabies is suspected  
**Anthrax**  
**Botulism (foodborne, infant, and wound)**  
*Burkholderia mallei* (glanders) and *pseudomallei* (melioidosis)  
**Cholera**  
**Diphtheria**  
Disease of suspected bioterrorism origin  
**Domoic acid poisoning (amnesic shellfish poisoning)**  
*E. coli* – refer to “Shiga toxin-producing *E. coli* infections”  
Emerging condition with outbreak potential  
*Haemophilus influenzae* (invasive disease, children < 5 years)  
**Influenza, novel or unsubtypeable strain**  
**Measles (rubeola), acute**  
**Meningococcal disease (invasive)**  
**Monkeypox**  
Outbreaks of disease that occur or are treated in the health care facility  
**Outbreaks of suspected foodborne origin**  
**Outbreaks of suspected waterborne origin**  
**Paralytic shellfish poisoning**  
**Pesticide poisoning (hospitalized, fatal, or cluster): 1-800-222-1222**  
**Plague**  
**Poliomyelitis**  
**Rabies, confirmed human or animal**  
**Rabies, suspected human exposure**  
**Rubella (include congenital rubella syndrome), acute**  
**SARS (Severe Acute Respiratory Syndrome)**  
**Shiga toxin-producing *E. coli* infections (STEC, including but not limited to *E. coli* O157:H7; also includes post-diarrheal hemolytic uremic syndrome)**  
**Smallpox**  
**Tuberculosis**  
**Tularemia**  
**Vaccinia transmission**  
**Viral hemorrhagic fever**  
**Yellow fever**

### **Notifiable on a monthly basis**

Asthma, occupational (suspected or confirmed): **1-888-66SHARP**  
**Birth defects: 360-236-3533**  
(abdominal wall defects, autism spectrum disorders, cerebral palsy, Down syndrome, alcohol-related birth defects, hypospadias, limb reductions, neural tube defects, oral clefts)  
Cancer, see WAC 246-430  
Gunshot wounds: [Reporting form](#)  
Hepatitis B, chronic (initial diagnosis/previously unreported cases)  
Hepatitis C, chronic

The conditions listed above are notifiable to public health authorities in accordance with [WAC 246-101](#). When a condition occurs in or is treated by the health care facility:

- Report to the local health jurisdiction of the patient's residence within the timeframe indicated (except for conditions followed by a reporting phone number).
- ‘Other rare diseases of public health significance’ means a disease or condition, of general or international public health concern, which is occasionally or not ordinarily seen in the state of Washington including, but not limited to, spotted fever rickettsiosis, babesiosis, tick paralysis, anaplasmosis, and other tick borne diseases. This also includes public health events of international concern and communicable diseases that would be of general public concern if detected in Washington.

### **Notifiable within 24 hours:** Requires a phone call if reporting after normal public health business hours

Brucellosis  
Hantavirus pulmonary syndrome  
Hepatitis A, acute  
Hepatitis B, acute  
Hepatitis E, acute  
Legionellosis  
Leptospirosis  
Listeriosis  
Mumps, acute  
Pertussis  
Psittacosis  
Q fever  
Relapsing fever (borreliosis)  
Salmonellosis  
Shigellosis  
Vancomycin-resistant *Staphylococcus aureus* (not to include Vancomycin-intermediate)  
Vibriosis  
Yersiniosis  
**Other rare diseases of public health significance, including but not limited to:**  
Amoebic meningitis  
Anaplasmosis  
Babesiosis  
Carbapenemase-producing carbapenem-resistant Enterobacteriaceae (CP-CRE)  
Chagas disease  
Coccidioidomycosis  
*Cryptococcus gattii*  
Ehrlichiosis  
Histoplasmosis  
Shellfish poisoning (diarrhetic)  
Tickborne rickettsioses (including Rocky Mountain spotted fever)  
Tick paralysis  
Typhus  
Unexplained critical illness or death

### **Notifiable within 3 business days**



















































Acquired immunodeficiency syndrome (AIDS), including in persons previously reported with HIV infection  
Arboviral disease (acute disease only, including: West Nile virus, dengue, eastern & western equine encephalitis, Zika, etc.)  
Campylobacteriosis  
Chancroid  
*Chlamydia trachomatis*  
Cryptosporidiosis  
Cyclosporiasis  
Giardiasis  
Gonorrhea  
Granuloma inguinale  
Hepatitis B, surface antigen positive pregnant women  
Hepatitis C, acute  
Hepatitis D, acute and chronic  
HIV infection  
Immunization reactions (severe, adverse)  
Influenza-associated death, laboratory-confirmed  
Lyme disease  
Lymphogranuloma venereum  
Malaria  
Pesticide poisoning- non-hospitalized, non-fatal, non-cluster:**1-800-222-1222**  
Prion disease, including Creutzfeldt-Jakob disease (CJD)  
Serious adverse reactions to immunizations  
Syphilis, including congenital  
Tetanus  
Trichinosis  
Varicella-associated death  
Hospital laboratories, refer to the [Laboratories Notifiable Conditions Poster](#).

**Notifiable to the local health jurisdiction (LHJ) of the patient's residence**



Phone numbers by LHJ are listed on the other side of this poster. If unable to reach the LHJ of the patient's residence, please call: **1-877-539-4344**

(If patient residence is unknown, notify the LHJ of the health care provider that ordered the diagnostic test)







## BACTERIA

-   *Bacillus anthracis* (anthrax)
-   *Bordetella pertussis* (pertussis)
-  *Borrelia burgdorferi* (Lyme disease)
-  *Borrelia hermsii* or *B. recurrentis* (Relapsing fever, tick- or louseborne)
-   *Brucella* species (brucellosis)
-   *Burkholderia mallei* and *B. pseudomallei*
-  *Campylobacter* species (campylobacteriosis)
-  *Chlamydia (chlamydophila) psittaci* (psittacosis)
-  *Chlamydia trachomatis*
-   *Clostridium botulinum* (botulism)
-   *Corynebacterium diphtheriae* (diphtheria)
-   *Coxiella burnetii* (Q fever)
-   *E. coli* (refer to "Shiga toxin-producing *E. coli*")
-   *Francisella tularensis* (tularemia)
-   *Haemophilus influenzae* (children < 5 years)
-   *Legionella* species (legionellosis)
-  *Leptospira* species (leptospirosis)
-   *Listeria monocytogenes* (listeriosis)
-  *Neisseria gonorrhoeae* (gonorrhea)
-   *Neisseria meningitidis* (meningococcal disease)
-   *Salmonella* species (salmonellosis, typhoid fever)
-   Shiga toxin-producing *E. coli* (STEC, including but not limited to *E. coli* O157:H7)
-   *Shigella* species (shigellosis)
-   *Treponema pallidum* (syphilis)
-   Vancomycin-resistant *Staphylococcus aureus*
-   *Vibrio cholerae* O1 or O139 (cholera)
-   *Vibrio* species (vibriosis)
-  *Yersinia enterocolitica* or *Y. pseudotuberculosis*
-   *Yersinia pestis* (plague)

## FUNGI

-   *Cryptococcus*, non-*neoformans*

## PARASITES

-  *Cryptosporidium* (cryptosporidiosis)
-   *Cyclospora cayetanensis* (cyclosporiasis)
-  *Giardia lamblia* (giardiasis)
-  *Plasmodium* species (malaria)
-  *Trichinella* species (trichinellosis)

Icons for reporting timeframes and recipients are explained in the legend.



























\*The 2011 revision of [WAC 246-101-010](#) states "Other rare diseases of public health significance' means a disease or condition, of general or international public health concern, which is occasionally or not ordinarily seen in the state of Washington including, but not limited to, spotted fever rickettsiosis, babesiosis, tick paralysis, anaplasmosis, and other tick borne diseases. This also includes public health events of international concern and communicable diseases that would be of public concern if detected in Washington."

The laboratory results listed above (preliminary or confirmed) are notifiable to public health authorities in Washington in accordance with [WAC 246-101](#).





Information provided with public health notifications and specimen submissions must include: specimen type; name and telephone number of laboratory; date specimen collected and received; requesting health care provider's name and phone number; test result; and name of patient. Also required when available in the lab database are: patient sex, date of birth or age, full patient address (zip code at a minimum), and health care provider address.

Per [WAC 246-101-201\(3\)](#), LHJs may request laboratory reporting of additional test results pertinent to an investigation of a notifiable condition.














## VIRUSES

-  Arboviruses, acute, by viral isolation or IgM or PCR positivity (West Nile virus, eastern and western equine encephalitis, dengue, St. Louis encephalitis, La Crosse encephalitis, Japanese encephalitis, Powassan, chikungunya, Zika\*)  
\*both positive and negative results are requested for Zika
-   Coronavirus (SARS-associated)
-  Hantavirus
-  Hepatitis A virus, acute, by IgM positivity (include hepatocellular enzyme levels in report)
-  Hepatitis B virus, acute, by IgM positivity
-  Hepatitis B virus: HBsAg, HBeAg, and HBV DNA
-  Hepatitis C virus
-  Hepatitis D virus
-  Hepatitis E virus
-   Influenza virus, novel or unsubtypeable strain
-   Measles virus (rubeola), acute, by IgM or PCR positivity
-   Mumps virus, acute, by IgM or PCR positivity
-   Poliovirus, acute, by IgM or PCR positivity
-   Rabies virus (human or animal)
-   Variola virus (smallpox)
-   Viral hemorrhagic fever  
Arenaviruses, bunyaviruses, filoviruses, flaviviruses
-   Yellow fever virus

**Reportable as rare diseases of public health significance\***

-   *Coccidioides*
-  Carbapenem-resistant Enterobacteriaceae (CRE), resistant to ≥1 carbapenem, using M100-S25 CLSI breakpoints
-  Carbapenemase-producing CRE

**Notifiable to the Department of Health (DOH)**

-   Blood lead level (elevated)
-   Blood lead level (non-elevated)
-   CD4 + (T4) lymphocyte counts and/or CD4 + (T4) (patients aged 13 and older)
-   Human immunodeficiency virus (HIV) infection (for example, positive Western Blot, p24 antigen, or viral culture tests)
-   Human immunodeficiency virus (HIV) infection (all viral load detection test results—detectable and undetectable)
-    *Mycobacterium tuberculosis* (tuberculosis)

## LEGEND

-  Immediately notifiable—requires a phone call to reach a live person at the LHJ, 24/7
-  Notifiable within 24 hours: Requires phone call if reporting after normal business hours
-  Notifiable within 2 business days
-  Notifiable on a monthly basis
-  Specimen/culture submission to the Public Health Laboratories required (upon request for all others)
-  Notifiable to the DOH Lead Program  
Contact phone: 360-236-4280
-  Notifiable to the DOH Office of Infectious Disease  
Contact phone: 360-236-3464
-  Notifiable to the DOH Tuberculosis Program  
Fax: 206-364-1060
-  Antibiotic sensitivity testing (first isolates only)

# Notifiable Conditions & the Veterinarian



Veterinarians, including those working in private practices, laboratories, academic settings, zoos, wildlife centers, animal shelters and government agencies, have an important public health role in the identification and control of zoonotic and vector-borne diseases.

The Washington State Administrative Code ([WAC 246-101-405](#)) outlines these responsibilities for veterinarians:

- A. Notify the local health officer of the jurisdiction in which the human resides of any suspected human case or suspected human outbreak based on the human's exposure to a confirmed animal case of any disease listed in Table
- B. Cooperate with public health authorities in the investigation of cases, suspected cases, outbreaks, and suspected outbreaks of zoonotic disease.
- C. Cooperate with public health authorities in the implementation of infection control measures including isolation and quarantine.
- D. Comply with requirements in chapter [16-70 WAC](#) for submitting positive specimens and isolates for specific diseases, and provide information requested by the Washington State Department of Health or local health jurisdiction.

Notifiable Condition (report suspected human cases)	Report Immediately	Report within 24 hours
Anthrax	X	
Arboviral disease		X
Brucellosis ( <i>Brucella</i> species)		X
<i>Burkholderia mallei</i> (Glanders)	X	
Disease of suspected bioterrorism origin (including but not limited to anthrax)	X	
<i>E. coli</i> – Refer to "Shiga toxin-producing <i>E. coli</i> "	X	
Emerging condition with outbreak potential	X	
Influenza virus, novel or unsubtypable strain	X	
Leptospirosis		X
Plague	X	
Psittacosis		X
Q Fever		X
Rabies (suspected human case or exposure or animal case)	X	
Shiga toxin-producing <i>E. coli</i> infections (enterohemorrhagic <i>E. coli</i> including, but not limited to, <i>E. coli</i> O157:H7)	X	
Tularemia	X	

**IMPORTANT NOTE:** Selected animal diseases, especially in livestock and poultry, must be reported to the Washington State Department of Agriculture, State Veterinarian's Office. These include eradicated diseases (e.g., tuberculosis, brucellosis), suspected foreign animal diseases (e.g., foot and mouth disease, exotic Newcastle disease, hog cholera) and certain domestic diseases (e.g., anthrax, rabies). See: <http://app.leg.wa.gov/WAC/default.aspx?cite=16-70>.

\*A list of local health departments can be found at <http://www.doh.wa.gov/AboutUs/PublicHealthSystem/LocalHealthJurisdictions.aspx>.

## Disease Incidence and Mortality Rates

## Arboviral Disease Types

Year	Total Cases	Chikungunya	Colorado Tick Fever	Dengue	Japanese Encephalitis	St. Louis Encephalitis	West Nile Virus	Yellow Fever	Zika Virus	Other/Unknown flavivirus
2002	1	0	0	0	0	0	0	1 <sup>V</sup>	0	0
2003	8	0	0	0	0	0	8 <sup>T</sup>	0	0	0
2004	3	0	0	1 <sup>T</sup>	1 <sup>T</sup>	0	1 <sup>T</sup>	0	0	0
2005	6	0	0	3 <sup>T</sup>	0	0	3 <sup>T</sup>	0	0	0
2006	13	1 <sup>T</sup>	0	4 <sup>T</sup>	0	0	8 (5 <sup>T</sup> , 3 <sup>E</sup> )	0	0	0
2007	16	0	0	10 <sup>T</sup>	0	0	5 <sup>T</sup>	0	0	1 <sup>T</sup>
2008	19	0	1 <sup>T</sup>	14 <sup>T</sup>	1 <sup>T</sup>	0	3 <sup>E</sup>	0	0	0
2009	52	0	0	11 <sup>T</sup>	0	1 <sup>T</sup>	38 (36 <sup>E</sup> , 2 <sup>U</sup> )	0	0	2 (1 <sup>T</sup> , 1 <sup>E</sup> )
2010	24	3 <sup>T</sup>	0	19 <sup>T</sup>	0	0	2 (1 <sup>E</sup> , 1 <sup>T</sup> )	0	0	0
2011	9	0	0	9 <sup>T</sup>	0	0	0	0	0	0
2012	20	0	0	16 <sup>T</sup>	0	0	4 (2 <sup>E</sup> , 2 <sup>T</sup> )	0	0	0
2013	15	0	0	14 <sup>T</sup>	0	0	1 <sup>T</sup>	0	0	0
2014*	36	15 <sup>T</sup>	0	9 <sup>T</sup>	0	0	12 (10 <sup>E</sup> , 2 <sup>T</sup> )	0	0	0
2015	84	40 <sup>T</sup>	0	19 <sup>T</sup>	0	0	24 (22 <sup>E</sup> , 2 <sup>T</sup> )	0	0	1 <sup>T</sup>
2016	113	10 <sup>T</sup>	0	23 <sup>T</sup>	0	0	9 <sup>E</sup>	0	68 <sup>T</sup>	3 <sup>T</sup>
2017	55	3 <sup>T</sup>	0	19 <sup>T</sup>	0	0	13 (8 <sup>E</sup> , 5 <sup>T</sup> )	0	16 <sup>T</sup>	4 <sup>T</sup>
2018	14	2 <sup>T</sup>	0	9 <sup>T</sup>	0	0	3 (1 <sup>E</sup> , 2 <sup>T</sup> )	0	0	0
2019	28	4 <sup>T</sup>	0	19 <sup>T</sup>	0	0	5 (4 <sup>E</sup> , 1 <sup>U</sup> )	0	0	0

<sup>V</sup> Vaccine-associated

<sup>T</sup> Travel-associated

<sup>E</sup> Endemically acquired

<sup>U</sup> Unknown exposure location

\*2014 data updated since the 2014 annual report

# Botulism

Year	Food	Infant	Wound	Combined Rate*	Deaths
1985	5	4	0	0.2	0
1986	2	4	0	0.1	0
1987	1	1	1	0.1	0
1988	3	4	0	0.2	0
1989	10	0	0	0.2	0
1990	1	0	0	0	0
1991	0	3	0	0.1	0
1992	0	2	0	0	0
1993	4	5	0	0.2	0
1994	3	2	0	0.1	0
1995	4	2	0	0.1	0
1996	2	0	2	0.1	0
1997	0	1	2	0.1	0
1998	2	4	0	0.1	0
1999	2	4	1	0.1	0
2000	1	4	0	0.1	0
2001	1	6	0	0.1	0
2002	1	1	4	0.1	0
2003	1	3	7	0.2	0
2004	1	3	5	0.1	0
2005	0	2	4	0.1	0
2006	0	9	1	0.2	0
2007	1	1	2	0.1	1
2008	0	1	2	0	0
2009	4	2	4	0.1	1
2010	0	3	1	0.1	0
2011	0	3	4	0.1	0
2012	1	4	2	0.1	1
2013	2	4	4	0.1	0
2014	0	3	0	0	0
2015	0	6	2	0.1	0
2016	2	1	1	0.1	2
2017	0	6	4	0.1	0
2018	1	7	0	0.1	0
2019	0	4	1	0.1	0

\*All rates are cases per 100,000 population.

## Brucellosis

Year	Cases	Rate*	Deaths
1986	1	0	0
1987	1	0	0
1988	1	0	0
1989	1	0	0
1990	0	0	0
1991	3	0.1	0
1992	1	0	0
1993	0	0	0
1994	0	0	0
1995	0	0	0
1996	2	0	0
1997	3	0.1	0
1998	3	0.1	0
1999	0	0	0
2000	0	0	0
2001	0	0	0
2002	2	0	0
2003	1	0	0
2004	2	0	0
2005	0	0	0
2006	0	0	0
2007	1	0	0
2008	1	0	0
2009	1	0	0
2010	0	0	0
2011	1	0	0
2012	0	0	0
2013	1	0	0
2014	4	0.1	0
2015	4	0.1	0
2016	0	0	0
2017	1	0	0
2018	1	0	0
2019	3	0	0

\*All rates are cases per 100,000 population.



# Campylobacteriosis

## Statewide by Year

County	2015 Cases	2015 Rate*	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	Year	Cases	Rate*	Deaths
Adams	10	51.5	6	30.8	1	+	3	+	9	44.7	1980	8	0.2	0
Asotin	2	+	2	+	4	+	4	+	1	+	1981	106	2.5	0
Benton	28	14.8	51	26.8	32	16.5	44	22.3	39	19.3	1982	299	7.0	0
Chelan	8	10.7	15	19.8	12	15.6	13	16.7	27	34.4	1983	149	3.5	0
Clallam	3	+	4	+	3	+	14	18.6	17	22.4	1984	146	3.4	1
Clark	73	16.2	82	17.8	107	22.7	93	19.4	112	22.9	1985	250	5.7	0
Columbia	4	+	2	+	2	+	1	+	0	0.0	1986	347	7.8	0
Cowlitz	24	23.0	19	18.1	22	20.8	23	21.4	21	19.3	1987	420	9.3	1
Douglas	7	17.5	3	+	5	12.1	7	16.6	10	23.4	1988	709	15.4	1
Ferry	2	+	3	+	2	+	2	+	0	0	1989	899	19.0	0
Franklin	11	12.6	11	12.4	3	+	17	18.4	13	13.7	1990	899	18.5	0
Garfield	1	+	1	+	0	0	0	0	1	+	1991	930	18.5	4
Grant	24	25.6	31	32.8	24	25.1	32	32.9	26	26.3	1992	1,060	20.6	1
Grays Harbor	10	13.7	13	17.9	19	26.0	14	19.0	21	28.3	1993	1,051	20.0	0
Island	17	21.1	29	35.0	31	37.4	32	38.2	26	30.7	1994	1,050	19.6	0
Jefferson	16	51.8	12	38.6	11	35.1	12	38.0	14	43.9	1995	1,050	19.2	4
King	604	29.4	589	28.0	699	32.5	673	30.7	617	27.7	1996	1,139	20.5	1
Kitsap	48	18.6	58	22.1	89	33.7	82	30.7	78	28.9	1997	1,150	20.3	0
Kittitas	9	21.1	10	22.9	8	17.9	6	13.2	11	23.6	1998	901	15.7	1
Klickitat	4	+	5	23.5	6	27.7	4	+	9	40.1	1999	950	16.3	2
Lewis	16	20.9	25	32.5	24	31.0	19	24.2	24	30.2	2000	1,006	17.1	2
Lincoln	0	0	2	+	2	+	0	0	1	+	2001	991	16.6	0
Mason	7	11.3	18	28.9	33	52.2	37	57.8	34	52.3	2002	1,032	17.0	1
Okanogan	5	11.9	5	12.0	9	21.4	9	21.2	11	25.7	2003	943	15.4	0
Pacific	3	+	2	+	1	+	1	+	6	27.7	2004	861	13.9	0
Pend Oreille	2	+	0	0	4	+	0	0	3	+	2005	1,045	16.6	0
Pierce	250	30.1	230	27.2	272	31.6	248	28.4	206	23.2	2006	993	15.5	0
San Juan	5	30.9	6	36.8	10	60.6	1	+	4	+	2007	1,020	15.6	0
Skagit	33	27.4	37	30.3	47	37.9	53	41.9	49	37.9	2008	1,069	16.2	0
Skamania	0	0	0	0	0	0	1	+	2	+	2009	1,030	15.4	1
Snohomish	231	30.5	237	30.7	279	35.3	242	30.1	214	26.1	2010	1,315	19.6	2
Spokane	84	17.2	86	17.5	105	21.0	92	18.1	96	18.6	2011	1,538	22.7	0
Stevens	17	38.6	18	40.8	12	27.0	17	37.8	21	46.1	2012	1,551	22.7	3
Thurston	57	21.3	69	25.3	86	31.1	66	23.4	47	16.4	2013	1,631	23.7	6
Wahkiakum	0	0	0	0	0	0	0	0	2	+	2014	1,591	22.8	0
Walla Walla	14	23.1	25	41.2	32	52.1	43	69.6	34	54.7	2015	1,847	26.2	2
Whatcom	60	28.6	56	26.3	93	43.5	61	27.7	60	26.6	2016	1,911	26.6	1
Whitman	9	19.0	7	14.6	3	+	10	20.3	0	0	2017	2,214	30.3	1
Yakima	149	59.6	142	56.6	122	48.2	101	39.7	113	44.1	2018	2,077	28.0	4
<b>State Totals</b>	<b>1,847</b>	<b>26.2</b>	<b>1,911</b>	<b>26.6</b>	<b>2,214</b>	<b>30.3</b>	<b>2,077</b>	<b>28.0</b>	<b>1,979</b>	<b>26.2</b>	<b>2019</b>	<b>1,979</b>	<b>26.2</b>	<b>1</b>

\*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

# Chlamydia trachomatis

## Statewide by Year

County	2015	2015	2016	2016	2017	2017	2018	2018	2019	2019	Year	Cases	Rate*	Deaths
	Cases	Rate*	Cases	Rate*	Cases	Rate*	Cases	Rate*	Cases	Rate*				
Adams	60	306	85	436	93	468.0	90	449.6	116	575.7	1989	10,865	229.8	0
Asotin	92	419	86	388	77	345.5	60	267.6	65	288.6	1990	12,709	261.1	0
Benton	677	358	739	388	906	468.2	906	458.9	1,019	505.0	1991	12,917	257.2	0
Chelan	245	329	260	343	270	351.4	285	366.3	279	355.8	1992	11,762	228.8	0
Clallam	187	257	200	272	199	268.1	190	252.9	185	243.4	1993	10,331	196.2	0
Clark	1,686	380	1,912	415	1,85	393.8	1,971	411.1	2,086	427.0	1994	10,575	197.1	0
Columbia	6	+	4	+	9	+	4	+	8	+	1995	9,463	173.0	0
Cowlitz	475	457	481	459	478	451.4	501	466.9	558	512.2	1996	9,237	165.9	0
Douglas	144	361	151	371	154	371.8	181	429.7	157	366.7	1997	9,523	168.1	0
Ferry	26	338	24	312	22	284.2	12	+	13	+	1998	10,998	191.3	0
Franklin	370	415	456	514	517	572.4	537	580.3	694	733.0	1999	11,964	205.2	0
Garfield	5	+	3	+	1	+	1	+	0	+	2000	13,066	221.7	0
Grant	382	407	404	427	345	360.8	382	392.4	466	471.9	2001	13,631	228.3	0
Grays Harbor	192	261	198	272	221	302.9	289	392.6	296	399.1	2002	14,936	246.5	0
Island	307	383	204	246	246	297.1	194	231.3	232	273.5	2003	16,796	274.1	0
Jefferson	56	182	56	180	52	165.8	46	145.6	63	197.5	2004	17,635	284.0	0
King	8,421	415	9,400	447	9,760	453.2	10,476	478.3	11,547	518.7	2005	18,617	295.6	0
Kitsap	938	365	984	375	1,104	417.7	1,184	443.2	1,240	459.1	2006	17,819	277.5	0
Kittitas	179	422	210	480	240	536.6	231	506.6	278	597.0	2007	19,123	293.1	0
Klickitat	57	272	58	273	64	295.5	53	241.1	69	307.6	2008	21,327	322.7	0
Lewis	265	346	252	328	284	366.7	279	356.0	305	383.7	2009	21,178	317.4	0
Lincoln	19	177	15	+	15	+	12	+	26	237.2	2010	21,401	318.3	0
Mason	230	368	234	376	221	349.7	238	371.8	247	380.1	2011	23,237	343.3	0
Okanogan	76	182	114	273	103	244.6	122	287.1	142	332.3	2012	24,600	360.8	0
Pacific	57	270	45	213	45	211.8	32	149.4	42	194.1	2013	25,013	363.4	0
Pend Oreille	24	181	20	151	40	299.2	30	221.6	26	189.2	2014	26,246	376.7	0
Pierce	4,646	563	4,976	589	5,434	632.3	5,947	681.8	6,300	709.2	2015	28,721	410.0	0
San Juan	20	124	17	104	12	+	19	113.0	18	105.0	2016	31,193	434.2	0
Skagit	399	333	415	339	481	387.6	470	371.5	495	383.1	2017	32,454	444.0	0
Skamania	14	+	22	191	21	179.6	21	176.6	29	240.5	2018	34,754	467.9	0
Snohomish	2,203	296	2,488	322	2,619	331.8	2,699	335.2	2,932	358.1	2019	37,641	498.8	0
Spokane	2,194	451	2,452	498	2,337	467.6	2,644	520.5	2,655	515.3				
Stevens	123	298	128	290	95	213.4	107	237.6	97	212.9				
Thurston	988	371	1,164	427	1,139	411.3	1,200	426.0	1,202	420.6				
Wahkiakum	4	+	5	+	3	+	3	+	8	+				
Walla Walla	237	394	238	392	193	314.3	218	352.8	314	504.8				
Whatcom	765	366	692	326	708	327.3	838	380.3	882	391.5				
Whitman	355	754	412	859	446	916.9	495	1005.9	436	869.7				
Yakima	1,597	638	1,589	633	1,643	649.4	1,787	702.2	2,114	825.9				
<b>State Totals</b>	<b>28,721</b>	<b>410</b>	<b>31,193</b>	<b>434</b>	<b>32,454</b>	<b>444.0</b>	<b>34,754</b>	<b>467.9</b>	<b>37,641</b>	<b>498.8</b>				

\*All incidence rates are cases per 100,000 population.

+County incidence rates based on counts ≤16 are suppressed due to statistical instability.

Data source: PHIMS-STD 1/26/2021.

Note: Cases are included in this table if they are residing in Washington based on reported address at the time of diagnosis, are a reportable case in the relevant calendar year (January 1, XXXX – December 31, XXXX), and are given a valid DOH case classification of Probable or Confirmed as determined by the current CDC case definition.

# Cholera

Year	Cases	Rate*	Deaths
1985	0	0	0
1986	0	0	0
1987	0	0	0
1988	0	0	0
1989	0	0	0
1990	0	0	0
1991	0	0	0
1992	2	0	0
1993	0	0	0
1994	0	0	0
1995	0	0	0
1996	0	0	0
1997	0	0	0
1998	0	0	0
1999	0	0	0
2000	0	0	0
2001	0	0	0
2002	1	0	0
2003	0	0	0
2004	0	0	0
2005	0	0	0
2006	0	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	0	0	0
2011	0	0	0
2012	0	0	0
2013	1	0	0
2014	0	0	0
2015	0	0	0
2016	0	0	0
2017	0	0	0
2018	0	0	0
2019	0	0	0

\*All rates are cases per 100,000 population.

# Cryptosporidiosis

## Statewide by Year

County	2015 Cases	2015 Rate*	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*
Adams	0	0	0	0	1	+	0	0	0	0
Asotin	0	0	0	0	2	+	1	+	1	+
Benton	1	+	2	+	1	+	1	+	8	4.0
Chelan	0	0	0	0	0	0	0	0	1	+
Clallam	2	+	3	+	0	0	4	+	3	+
Clark	9	2.0	10	2.2	17	3.6	15	3.1	15	3.1
Columbia	0	0	0	0	0	0	0	0	0	0
Cowlitz	3	+	3	+	2	+	3	+	5	4.6
Douglas	0	0	0	0	0	0	0	0	4	+
Ferry	0	0	0	0	0	0	1	+	0	0
Franklin	1	+	4	+	0	0	0	0	0	0
Garfield	0	0	0	0	0	0	0	0	0	0
Grant	1	+	0	0	0	0	3	+	1	+
Grays Harbor	0	0	0	0	3	+	1	+	1	+
Island	0	0	4	+	1	+	0	0	0	0
Jefferson	3	+	2	+	3	+	2	+	0	0
King	25	1.2	43	2.0	65	3.0	92	4.2	114	5.1
Kitsap	3	+	3	+	1	+	2	+	1	+
Kittitas	0	0	1	+	1	+	0	0	3	+
Klickitat	1	+	0	0	2	+	2	+	2	+
Lewis	9	11.7	2	+	2	+	2	+	1	+
Lincoln	0	0	0	0	0	0	0	0	0	0
Mason	0	0	0	0	2	+	2	+	1	+
Okanogan	1	+	0	0	0	0	0	0	1	+
Pacific	0	0	0	0	0	0	0	0	1	+
Pend Oreille	0	0	0	0	0	0	0	0	0	0
Pierce	24	2.9	14	1.7	19	2.2	23	2.6	27	3.0
San Juan	0	0	3	+	0	0	2	+	1	+
Skagit	0	0	2	+	3	+	5	4.0	3	+
Skamania	0	0	0	0	0	0	0	0	1	+
Snohomish	5	0.7	6	0.8	8	1.0	12	1.5	9	1.1
Spokane	5	1.0	0	0	0	0	2	+	7	1.4
Stevens	0	0	0	0	0	0	0	0	0	0
Thurston	3	+	10	3.7	4	+	6	2.1	6	2.1
Wahkiakum	0	0	0	0	0	0	0	0	0	0
Walla Walla	0	0	1	+	2	+	4	+	3	+
Whatcom	10	4.8	15	7.1	5	2.3	4	+	5	2.2
Whitman	0	0	0	0	0	0	0	0	0	0
Yakima	7	2.8	3	+	6	2.4	9	3.5	7	2.7
<b>State Totals</b>	<b>113</b>	<b>1.6</b>	<b>131</b>	<b>1.8</b>	<b>150</b>	<b>2.1</b>	<b>198</b>	<b>2.7</b>	<b>232</b>	<b>3.1</b>

Year	Cases	*Rate	Deaths
2001	73	1.2	0
2002	62	1.0	0
2003	65	1.1	0
2004	63	1.0	0
2005	94	1.5	0
2006	95	1.5	0
2007	139	2.1	0
2008	99	1.5	0
2009	102	1.5	0
2010	102	1.5	0
2011	88	1.3	0
2012	101	1.5	0
2013	84	1.2	0
2014	75	1.1	0
2015	113	1.6	0
2016	131	1.8	0
2017	150	2.1	0
2018	198	2.7	0
2019	232	3.1	0

\*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

## Cyclosporiasis<sup>‡</sup>

Year	Cases	Rate*	Deaths
2002	5	0.1	0
2003	0	0	0
2004	11	0.2	0
2005	5	0.1	0
2006	1	0	0
2007	1	0	0
2008	1	0	0
2009	0	0	0
2010	2	0	0
2011	4	0.1	0
2012	0	0	0
2013	0	0	0
2014	2	0	0
2015	5	0.1	0
2016	3	0	0
2017	9	0.1	0
2018	23	0.3	0
2019	17	0.2	0

<sup>‡</sup>Cyclosporiasis first became a notifiable condition in Washington in 12/ 2000.

\*All rates are cases per 100,000 population.

# Diphtheria

Year	Cases	Rate*	Deaths
1985	0	0	0
1986	0	0	0
1987	0	0	0
1988	0	0	0
1989	0	0	0
1990	0	0	0
1991	0	0	0
1992	0	0	0
1993	0	0	0
1994	0	0	0
1995	0	0	0
1996	0	0	0
1997	0	0	0
1998	0	0	0
1999	0	0	0
2000	0	0	0
2001	0	0	0
2002	0	0	0
2003	0	0	0
2004	0	0	0
2005	0	0	0
2006	0	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	0	0	0
2011	0	0	0
2012	0	0	0
2013	0	0	0
2014	0	0	0
2015	0	0	0
2016	0	0	0
2017	0	0	0
2018	0	0	0
2019	0	0	0

\*All rates are cases per 100,000 population.

# Giardiasis

## Statewide by Year

County	2015 Cases	2015 Rate*	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	Year	Cases	Rate*	Deaths
Adams	3	+	1	+	1	+	0	0	0	0	1980	840	20.3	0
Asotin	1	+	1	+	1	+	4	+	2	+	1981	547	12.9	0
Benton	2	+	8	4.2	11	5.7	4	+	5	2.5	1982	956	22.4	0
Chelan	9	12.0	9	11.9	6	7.8	7	9.0	3	+	1983	706	16.4	0
Clallam	7	9.6	6	8.2	5	6.7	7	9.3	6	7.9	1984	710	16.3	0
Clark	28	6.2	39	8.5	25	5.3	22	4.6	11	2.3	1985	779	17.6	0
Columbia	1	+	0	0	2	+	0	0	0	0	1986	811	18.2	0
Cowlitz	3	+	2	+	3	+	6	5.6	1	+	1987	827	18.3	0
Douglas	2	+	7	17.2	0	0	1	+	0	0	1988	851	18.4	0
Ferry	1	+	0	0	2	+	0	0	1	+	1989	980	20.7	0
Franklin	4	+	4	+	2	+	1	+	4	+	1990	792	16.3	0
Garfield	0	0	0	0	0	0	2	+	0	0	1991	876	17.4	1
Grant	4	+	4	+	9	9.4	3	+	1	+	1992	860	16.7	1
Grays Harbor	5	6.8	6	8.2	4	+	3	+	4	+	1993	747	14.2	0
Island	1	+	5	6.0	5	6.0	2	+	4	+	1994	722	13.5	0
Jefferson	3	+	7	22.5	7	22.3	6	19.0	7	21.9	1995	855	15.6	0
King	219	10.7	253	12.0	277	12.9	156	7.1	59	2.7	1996	668	12.0	0
Kitsap	26	10.1	25	9.5	22	8.3	18	6.7	13	4.8	1997	738	13.0	0
Kittitas	5	11.7	7	16.0	9	20.1	1	+	1	+	1998	740	12.9	1
Klickitat	5	23.8	1	+	1	+	3	+	2	+	1999	560	9.6	1
Lewis	3	+	5	6.5	3	+	1	+	3	+	2000	622	10.6	1
Lincoln	0	0	2	+	1	+	1	+	0	0	2001	512	8.6	0
Mason	4	+	8	12.8	5	7.9	6	9.4	3	+	2002	510	8.4	0
Okanogan	6	14.3	4	+	7	16.6	4	+	2	+	2003	435	7.1	0
Pacific	0	0	3	+	0	0	0	0	0	0	2004	444	7.2	0
Pend Oreille	1	+	3	+	3	+	0	0	1	+	2005	437	6.9	0
Pierce	42	5.1	41	4.9	46	5.4	31	3.6	43	4.8	2006	451	7.0	0
San Juan	3	+	0	0	1	+	1	+	0	0	2007	590	9.0	0
Skagit	9	7.5	10	8.2	10	8.1	8	6.3	10	7.7	2008	486	7.4	0
Skamania	0	0	0	0	0	0	0	0	2	+	2009	467	7.0	0
Snohomish	71	9.4	66	8.5	64	8.1	55	6.8	46	5.6	2010	521	7.7	0
Spokane	60	12.3	72	14.6	66	13.2	32	6.3	29	5.6	2011	529	7.8	0
Stevens	1	+	4	+	8	18.0	3	+	1	+	2012	512	7.5	0
Thurston	17	6.4	34	12.5	25	9.0	21	7.5	12	4.2	2013	548	8.0	0
Wahkiakum	1	+	0	0	0	0	1	+	0	0	2014	515	7.4	0
Walla Walla	2	+	4	+	4	+	4	+	0	0	2015	604	8.6	0
Whatcom	25	11.9	8	3.8	17	7.9	18	8.2	9	4.0	2016	672	9.4	0
Whitman	4	+	2	+	2	+	2	+	2	+	2017	668	9.1	0
Yakima	26	10.4	21	8.4	14	5.5	4	+	1	+	2018	438	5.9	0
<b>State Totals</b>	<b>604</b>	<b>8.6</b>	<b>672</b>	<b>9.4</b>	<b>668</b>	<b>9.1</b>	<b>438</b>	<b>5.9</b>	<b>288</b>	<b>3.8</b>	<b>2019</b>	<b>288</b>	<b>3.8</b>	<b>0</b>

\*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

# Gonorrhea

## Statewide by Year

County	2015 Cases	2015 Rate*	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	Year	Cases	Rate*	Deaths
Adams	32	163	14	+	19	95.6	23	114.9	11	+	1982	11,381	266.0	0
Asotin	16	+	24	108	31	139.1	6	+	24	106.6	1983	9,895	230.0	0
Benton	135	71.3	258	135	216	111.6	240	121.6	235	116.5	1984	9,158	210.0	0
Chelan	27	36.2	37	48.7	28	36.4	45	57.8	36	45.9	1985	10,073	228.0	0
Clallam	10	+	18	24.5	6	+	21	28.0	29	38.2	1986	9,848	221.0	0
Clark	247	55.6	396	85.9	511	108.5	658	137.2	548	112.2	1987	8,909	197.0	0
Columbia	2	+	0	0	4	+	2	+	3	+	1988	7,154	155.0	0
Cowlitz	100	96.2	121	115	109	102.9	134	124.9	101	92.7	1989	6,369	135.0	0
Douglas	11	+	18	44.2	9	+	34	80.7	26	60.7	1990	5,009	103.0	0
Ferry	2	+	5	+	2	+	2	+	7	+	1991	4,441	88.4	0
Franklin	67	75.1	118	133	129	142.8	124	134.0	133	140.5	1992	4,169	81.1	0
Garfield	0	0	0	0	0	0	1	+	1	+	1993	3,740	71.0	0
Grant	116	124	111	117	116	121.3	110	113.0	97	98.2	1994	2,893	53.9	0
Grays Harbor	31	42.2	46	63.2	46	63	48	65.2	72	97.1	1995	2,765	50.5	0
Island	27	33.7	35	42.2	38	45.9	37	44.1	41	48.3	1996	2,020	36.3	0
Jefferson	9	+	11	+	11	+	8	+	5	+	1997	1,955	34.5	0
King	2,922	144	3,343	159	4,178	194	4,431	202.3	4,706	211.4	1998	1,948	33.9	0
Kitsap	197	76.7	177	67.4	276	104.4	306	114.6	241	89.2	1999	2,132	36.6	0
Kittitas	23	54.2	21	48	16	+	30	65.8	29	62.3	2000	2,419	41.0	0
Klickitat	6	+	4	+	3	+	10	+	17	75.8	2001	2,991	50.1	0
Lewis	31	40.4	52	67.6	40	51.7	54	68.9	50	62.9	2002	2,925	48.3	0
Lincoln	3	+	6	+	3	+	3	+	7	+	2003	2,754	44.9	0
Mason	40	64	48	77	37	58.6	69	107.8	45	69.3	2004	2,810	45.3	0
Okanogan	10	+	27	64.7	11	+	13	+	46	107.7	2005	3,738	59.3	0
Pacific	6	+	3	+	9	+	5	+	4	+	2006	4,231	65.9	0
Pend Oreille	3	+	7	+	4	+	9	+	1	+	2007	3,646	55.9	0
Pierce	1,363	165	1,196	142	1,772	206.2	1,923	220.5	2,132	240.0	2008	3,116	47.2	0
San Juan	1	+	0	0	3	+	2	+	2	+	2009	2,268	34.0	0
Skagit	53	44.2	65	53.2	60	48.4	108	85.4	117	90.6	2010	2,865	42.6	0
Skamania	1	+	3	+	1	+	2	+	4	+	2011	2,730	40.3	0
Snohomish	504	67.6	602	77.9	741	93.9	875	108.7	760	92.8	2012	3,282	48.1	0
Spokane	527	108	520	106	693	138.7	755	148.6	1,073	208.2	2013	4,390	63.8	0
Stevens	17	38.7	28	63.5	14	+	24	53.3	32	70.2	2014	6,136	88.1	0
Thurston	192	72	263	96.5	253	91.4	289	102.6	279	97.6	2015	7,203	103.0	0
Wahkiakum	0	0	1	+	2	+	1	+	0	+	2016	8,165	114.0	0
Walla Walla	25	41.5	30	49.4	20	32.6	48	77.7	78	125.4	2017	10,022	137.1	0
Whatcom	61	29.2	102	48	147	68	171	77.6	157	69.7	2018	11,215	151.0	0
Whitman	10	+	12	+	31	63.7	38	77.2	34	67.8	2019	11,848	157.0	0
Yakima	376	150	443	177	433	171.2	556	218.5	665	259.8				
<b>State Totals</b>	<b>7,203</b>	<b>103</b>	<b>8,165</b>	<b>114</b>	<b>10,022</b>	<b>137.1</b>	<b>11,215</b>	<b>151.0</b>	<b>11,848</b>	<b>157.0</b>				

\*All incidence rates are cases per 100,000 population.

+County incidence rates based on counts ≤16 are suppressed due to statistical instability.

Data source: PHIMS-STD 1/26/2021.

Note: Cases are included in this table if they are residing in Washington based on reported address at the time of diagnosis, are a reportable case in the relevant calendar year (January 1, XXXX – December 31, XXXX), and are given a valid DOH case classification of Probable or Confirmed as determined by the current CDC case definition.



## ***Haemophilus influenzae* Invasive Disease**

<b>Year</b>	<b>Cases</b>	<b>Rate*</b>	<b>Deaths</b>
1981	156	3.7	0
1982	149	3.5	6
1983	123	2.9	5
1984	110	2.5	5
1985	153	3.5	6
1986	319	7.1	11
1987	271	6.0	6
1988	200	4.3	0
1989	163	3.4	2
1990	123	2.5	6
1991	51	1.0	0
1992	22	0.4	1
1993	17	0.3	0
1994	10	0.2	0
1995	11	0.2	3
1996	10	0.2	0
1997	6	0.1	0
1998	11	0.2	1
1999	5	0.1	1
2000	8	0.1	0
2001*	7	1.8	0
2002*	5	1.2	0
2003*	13	3.2	1
2004*	4	1.0	0
2005*	5	1.2	0
2006*	5	1.2	0
2007*	6	1.4	0
2008*	2	0.5	0
2009*	9	2.1	0
2010*	10	2.3	1
2011*	8	1.8	1
2012*	4	0.9	0
2013*	11	2.4	0
2014*	9	2.0	0
2015*	5	1.1	0
2016*	9	2.0	0
2017*	7	1.5	0
2018*	13	2.9	0
2019*	16	3.5	0

\*All rates are cases per 100,000 population. Rates for 2001-2019 are for population aged 0-4 years; rates before 2001 are for the entire population.

## Hantavirus Pulmonary Syndrome<sup>‡</sup>

Year	Cases	Rate*	Deaths
1985	2	0	1
1994	4	0.1	2
1995	4	0.1	2
1996	3	0.1	1
1997	2	0	0
1998	5	0.1	1
1999	1	0	0
2000	1	0	0
2001	1	0	0
2002	2	0	1
2003	2	0	0
2004	1	0	0
2005	3	0	2
2006	2	0	0
2007	2	0	1
2008	2	0	1
2009	3	0	1
2010	2	0	0
2011	2	0	1
2012	2	0	2
2013	0	0	0
2014	1	0	0
2015	1	0	0
2016	1	0	0
2017	5	0.1	3
2018	2	0	0
2019	1	0	0

<sup>‡</sup>Hantavirus Pulmonary Syndrome first became a notifiable condition in Washington in 12/2000.

\*All rates are cases per 100,000 population.

# Hepatitis A, Acute

County	2015 Cases	2015 Rate*	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*
Adams	0	0	0	0	0	0	0	0	0	0
Asotin	0	0	0	0	0	0	0	0	0	0
Benton	1	0	0	0	0	0	1	+	0	0
Chelan	1	0	0	0	0	0	0	0	1	+
Clallam	0	0	0	0	0	0	1	+	0	0
Clark	3	+	2	+	3	+	3	+	4	+
Columbia	0	0	0	0	0	0	0	0	0	0
Cowlitz	1	+	0	0	1	+	0	0	1	+
Douglas	0	0	0	0	0	0	0	0	0	0
Ferry	0	0	0	0	0	0	0	0	0	0
Franklin	0	0	0	0	0	0	0	0	1	+
Garfield	0	0	0	0	0	0	0	0	0	0
Grant	1	+	0	0	0	0	0	0	0	0
Grays Harbor	0	0	1	+	0	0	0	0	0	0
Island	0	0	0	0	0	0	0	0	0	0
Jefferson	0	0	0	0	0	0	2	+	0	0
King	8	0.4	13	0.6	11	0.5	14	0.6	45	2.0
Kitsap	0	0	1	+	2	+	2	+	4	+
Kittitas	0	0	0	0	0	0	0	0	0	0
Klickitat	0	0	0	0	0	0	1	+	1	+
Lewis	0	0	1	+	0	0	0	0	0	0
Lincoln	0	0	0	0	0	0	0	0	0	0
Mason	0	0	1	+	1	+	0	0	0	0
Okanogan	0	0	0	0	0	0	0	0	4	+
Pacific	0	0	0	0	0	0	1	+	0	0
Pend Oreille	0	0	0	0	0	0	0	0	1	+
Pierce	0	0	2	+	1	+	2	+	3	+
San Juan	0	0	0	0	0	0	0	0	0	0
Skagit	1	+	1	+	3	+	1	+	2	+
Skamania	0	0	0	0	0	0	0	0	0	0
Snohomish	5	0.7	4	+	1	+	2	+	15	1.8
Spokane	1	+	1	+	2	+	1	+	74	14.4
Stevens	0	0	0	0	0	0	1	+	0	0
Thurston	1	+	0	0	1	+	2	+	1	+
Wahkiakum	0	0	0	0	0	0	0	0	0	0
Walla Walla	0	0	0	0	1	+	0	0	0	0
Whatcom	3	+	4	+	0	0	0	0	1	+
Whitman	0	0	0	0	0	0	0	0	0	0
Yakima	0	0	0	0	1	+	1	+	23	9.0
<b>State Totals</b>	<b>26</b>	<b>0.4</b>	<b>31</b>	<b>0.4</b>	<b>28</b>	<b>0.4</b>	<b>35</b>	<b>0.5</b>	<b>181</b>	<b>2.4</b>

## Statewide by Year

Year	Cases	Rate*	Deaths
1980	554	13.4	2
1981	791	18.7	0
1982	494	11.6	1
1983	268	6.2	1
1984	373	8.6	0
1985	702	15.9	2
1986	1,385	31.0	1
1987	2,589	57.2	1
1988	2,669	57.8	7
1989	3,273	69.2	5
1990	1,380	28.4	1
1991	608	12.1	3
1992	865	16.8	1
1993	926	17.6	1
1994	1,119	20.9	2
1995	937	17.1	9
1996	1,001	18.0	3
1997	1,019	18.0	1
1998	1,037	18.0	2
1999	505	8.7	1
2000	298	5.1	1
2001	184	3.1	0
2002	162	2.7	0
2003	50	0.8	0
2004	69	1.1	0
2005	63	1.0	1
2006	52	0.8	2
2007	60	0.9	0
2008	51	0.8	0
2009	42	0.6	1
2010	21	0.3	0
2011	31	0.5	1
2012	29	0.4	1
2013	45	0.7	1
2014	26	0.4	0
2015	26	0.4	0
2016	31	0.4	1
2017	28	0.4	0
2018	35	0.5	1
2019	181	2.4	4

\*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

## Hepatitis B, Acute

### Statewide by Year

County	2015	2015	2016	2016	2017	2017	2018	2018	2019	2019	Year	Cases	Rate*	Deaths
	Cases	Rate*	Cases	Rate*	Cases	Rate*	Cases	Rate*	Cases	Rate*				
Adams	0	0	0	0	0	0	0	0	0	0	1980	257	6.2	6
Asotin	0	0	0	0	0	0	0	0	0	0	1981	345	8.2	11
Benton	0	0	0	0	0	0	0	0	0	0	1982	358	8.4	2
Chelan	1	+	0	0	1	+	0	0	0	0	1983	307	7.1	3
Clallam	0	0	0	0	0	0	0	0	0	0	1984	317	7.3	2
Clark	3	+	1	+	2	+	0	0	2	+	1985	484	11.0	6
Columbia	0	0	0	0	0	0	0	0	0	0	1986	989	22.2	8
Cowlitz	2	+	6	5.7	7	6.6	2	+	1	+	1987	1,126	24.9	4
Douglas	0	0	0	0	0	0	0	0	0	0	1988	979	21.2	6
Ferry	0	0	0	0	0	0	0	0	0	0	1989	1,055	22.3	9
Franklin	0	0	0	0	0	0	0	0	0	0	1990	616	12.7	7
Garfield	0	0	0	0	0	0	0	0	0	0	1991	470	9.4	5
Grant	2	+	0	0	1	+	0	0	0	0	1992	399	7.8	1
Grays Harbor	1	+	3	+	2	+	3	+	3	+	1993	247	4.7	0
Island	0	0	1	+	0	0	0	0	0	0	1994	255	4.8	2
Jefferson	0	0	0	0	0	0	0	0	0	0	1995	226	4.1	2
King	7	0.3	3	+	7	0.3	9	0.4	17	0.8	1996	158	2.8	1
Kitsap	1	+	0	0	0	0	1	+	0	0	1997	114	2.0	2
Kittitas	0	0	0	0	0	0	0	0	1	+	1998	136	2.4	0
Klickitat	0	0	0	0	0	0	1	+	0	0	1999	111	1.9	1
Lewis	0	0	1	+	3	+	0	0	1	+	2000	132	2.2	5
Lincoln	0	0	0	0	0	0	1	+	0	0	2001	171	2.9	0
Mason	1	+	2	+	1	+	1	+	0	0	2002	83	1.4	0
Okanogan	0	0	0	0	0	0	0	0	0	0	2003	90	1.5	1
Pacific	0	0	1	+	0	0	0	0	0	0	2004	64	1.0	1
Pend Oreille	0	0	0	0	0	0	0	0	0	0	2005	80	1.3	0
Pierce	5	0.6	6	0.7	4	+	6	0.7	4	+	2006	80	1.2	2
San Juan	0	0	0	0	0	0	0	0	0	0	2007	71	1.1	1
Skagit	0	0	1	+	1	+	1	+	0	0	2008	56	0.8	0
Skamania	0	0	0	0	1	+	0	0	0	0	2009	48	0.7	0
Snohomish	2	+	7	0.9	4	+	7	0.9	7	0.9	2010	50	0.7	1
Spokane	8	1.6	10	2.0	7	1.4	13	2.6	7	1.4	2011	35	0.5	0
Stevens	0	0	0	0	0	0	1	+	1	+	2012	34	0.5	1
Thurston	0	0	1	+	3	+	3	+	5	1.7	2013	34	0.5	1
Wahkiakum	0	0	0	0	0	0	0	0	0	0	2014	44	0.6	0
Walla Walla	0	0	0	0	0	0	1	+	0	0	2015	34	0.5	0
Whatcom	1	+	0	0	1	+	1	+	3	+	2016	45	0.6	0
Whitman	0	0	0	0	0	0	0	0	0	0	2017	45	0.6	0
Yakima	0	0	2	+	0	0	0	0	0	0	2018	51	0.7	0
<b>State Totals</b>	<b>34</b>	<b>0.5</b>	<b>45</b>	<b>0.6</b>	<b>45</b>	<b>0.6</b>	<b>51</b>	<b>0.7</b>	<b>52</b>	<b>0.7</b>	<b>2019</b>	<b>52</b>	<b>0.7</b>	<b>0</b>

\*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

Note: Cases of acute hepatitis B are included in this table if they are a resident of Washington at the time of initial diagnosis/report, are a reportable case in the relevant calendar year (January 1, XXXX – December 31, XXXX), and are given a valid DOH case classification of Confirmed as determined by the CDC case definition.

# Hepatitis B, Chronic

## Statewide by Year

County	2015 Cases	2015 Rate*	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	Year	Cases	Rate*	Deaths
Adams	0	0	0	0	1	*	2	*	3	*	2001	1,078	18.1	55
Asotin	0	0	0	0	2	*	1	*	0	0	2002	979	16.2	52
Benton	2	*	5	2.6	39	20.2	57	28.9	64	31.7	2003	950	15.5	48
Chelan	1	*	1	*	4	*	6	7.7	9	11.5	2004	939	15.3	55
Clallam	0	0	1	*	9	12.1	14	18.6	6	7.9	2005	1,034	16.4	49
Clark	75	16.6	70	15.2	60	12.7	119	24.8	108	22.1	2006	1,119	17.4	39
Columbia	0	0	0	0	0	0	0	0	0	0	2007	1,138	17.4	47
Cowlitz	10	9.6	5	4.8	14	13.2	9	8.4	12	11.0	2008	1,464	22.2	52
Douglas	2	*	0	0	0	0	4	*	3	*	2009	1,194	17.9	64
Ferry	1	*	0	0	0	0	0	0	0	0	2010	1,238	18.4	47
Franklin	2	*	0	0	5	5.5	21	22.7	19	20.1	2011	1,030	15.2	54
Garfield	0	0	0	0	0	0	0	0	0	0	2012	1,139	16.7	47
Grant	5	5.3	0	0	1	*	1	*	5	5.1	2013	901	13.1	60
Grays Harbor	3	*	0	0	3	*	17	23.1	12	16.2	2014	1,119	16.1	56
Island	4	*	3	*	0	0	10	11.9	6	7.1	2015	1,310	18.6	48
Jefferson	4	*	1	*	1	*	2	*	0	0	2016	1,521	21.2	49
King	699	34.1	888	42.2	1,074	49.9	1,076	49.1	955	42.9	2017	1,787	24.4	49
Kitsap	39	15.1	33	12.6	19	7.2	55	20.6	41	15.2	2018	2,172	29.2	54
Kittitas	0	0	1	*	3	*	3	*	0	0	2019	1,915	25.4	51
Klickitat	2	*	0	0	4	*	1	*	3	*				
Lewis	5	6.5	4	*	11	14.2	10	12.8	4	*				
Lincoln	0	0	0	0	0	0	1	*	1	*				
Mason	1	*	2	*	1	*	10	15.6	11	16.9				
Okanogan	1	*	1	*	0	0	2	*	3	*				
Pacific	2	*	1	*	2	*	0	0	6	27.7				
Pend Oreille	0	0	0	0	1	*	0	0	1	*				
Pierce	119	14.3	168	19.9	150	17.5	205	23.5	193	21.7				
San Juan	0	*	1	*	0	*	1	*	2	*				
Skagit	6	5	11	9	13	10.5	12	9.5	13	10.1				
Skamania	0	*	0	*	0	*	0	0	1	*				
Snohomish	159	21	173	22.4	201	25.5	302	37.5	247	30.2				
Spokane	66	13.5	59	12.0	78	15.6	107	21.1	91	17.7				
Stevens	2	*	1	*	1	*	5	11.1	2	*				
Thurston	57	21.3	59	21.6	48	17.3	54	19.2	42	14.7				
Wahkiakum	0	0	0	0	0	0	1	*	0	0				
Walla Walla	0	0	1	*	1	*	8	12.9	5	8.0				
Whatcom	17	8.1	15	7.1	23	10.6	22	10.0	19	8.4				
Whitman	1	*	1	*	8	16.4	11	22.4	7	14.0				
Yakima	13	5.2	6	2.4	9	3.6	19	7.5	20	7.8				
Unspecified‡	12	-	10	-	1	*	4	*	1	*				
<b>State Totals</b>	<b>1,310</b>	<b>18.6</b>	<b>1,521</b>	<b>21.2</b>	<b>1,786</b>	<b>24.4</b>	<b>2,172</b>	<b>29.2</b>	<b>1,915</b>	<b>25.4</b>				

\*All incidence rates are cases per 100,000 population, county rates not calculated for <5 cases.

‡Includes cases diagnosed in correctional facilities and cases entered at the state level into Washington State surveillance databases.

Note: Cases of chronic hepatitis B are included in this table if they are a resident of Washington at the time of initial diagnosis/report, are a reportable case in the relevant calendar year (January 1, XXXX – December 31, XXXX), and are given a valid DOH case classification of Probable or Confirmed as determined by the CDC case definition.

Changes were made to the way data were compiled in 2016.

## Hepatitis C, Acute

County	2015 Cases	2015 Rate*	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*
Adams	0	0	0	0	0	0	0	0	0	0
Asotin	0	0	0	0	0	0	0	0	0	0
Benton	0	0	0	0	0	0	0	0	0	0
Chelan	0	0	0	0	0	0	0	0	0	0
Clallam	2	+	1	+	0	0	0	0	1	+
Clark	0	0	0	0	1	+	3	+	6	1.2
Columbia	0	0	0	0	0	0	0	0	0	0
Cowlitz	0	0	1	+	3	+	0	0	1	+
Douglas	0	0	0	0	0	0	0	0	0	0
Ferry	0	0	0	0	0	0	0	0	0	0
Franklin	0	0	0	0	0	0	0	0	0	0
Garfield	0	0	0	0	0	0	0	0	0	0
Grant	0	0	0	0	0	0	0	0	1	+
Grays Harbor	0	0	0	0	0	0	0	0	0	0
Island	0	0	0	0	0	0	0	0	0	0
Jefferson	0	0	2	+	1	+	2	+	0	0
King	20	1.0	14	0.7	13	0.6	27	1.2	33	1.5
Kitsap	0	0	0	0	3	+	0	0	0	0
Kittitas	0	0	0	0	0	0	0	0	0	0
Klickitat	0	0	0	0	0	0	0	0	0	0
Lewis	0	0	0	0	0	0	0	0	0	0
Lincoln	0	0	0	0	0	0	0	0	0	0
Mason	0	0	1	+	0	0	1	+	0	0
Okanogan	0	0	0	0	0	0	0	0	0	0
Pacific	0	0	0	0	0	0	0	0	0	0
Pend Oreille	0	0	0	0	0	0	0	0	0	0
Pierce	22	2.7	31	3.7	27	3.1	41	4.7	20	2.3
San Juan	0	0	0	0	0	0	0	0	0	0
Skagit	2	+	6	4.9	2	1.6	3	+	1	+
Skamania	0	0	0	0	0	0	0	0	0	0
Snohomish	1	+	7	0.9	8	1.0	7	0.9	10	1.2
Spokane	13	2.7	24	4.9	7	1.4	15	3.0	15	2.9
Stevens	0	0	0	0	0	0	1	+	0	0
Thurston	0	0	1	+	0	0	4	+	0	0
Wahkiakum	0	0	0	0	0	0	0	0	0	0
Walla Walla	0	0	0	0	1	+	0	0	0	0
Whatcom	2	+	3	+	6	2.8	13	5.9	9	4.0
Whitman	0	0	0	0	0	0	1	+	0	0
Yakima	1	+	4	+	1	+	0	0	0	0
<b>State Totals</b>	<b>63</b>	<b>0.9</b>	<b>95</b>	<b>1.3</b>	<b>73</b>	<b>1.0</b>	<b>118</b>	<b>1.6</b>	<b>97</b>	<b>1.3</b>

## Statewide by Year

Year	Cases	Rate*	Deaths
1981	54	1.3	8
1982	94	2.2	0
1983	151	3.5	1
1984	131	3.0	2
1985	145	3.3	1
1986	167	3.7	7
1987	207	4.6	1
1988	232	5.0	2
1989	208	4.4	4
1990	141	2.9	6
1991	164	3.3	4
1992	186	3.6	1
1993	219	4.2	1
1994	294	5.5	0
1995	234	4.3	1
1996	66	1.2	1
1997	42	0.7	0
1998	29	0.5	0
1999	24	0.4	0
2000	44	0.7	0
2001	31	0.5	0
2002	27	0.4	0
2003	21	0.3	0
2004	23	0.4	1
2005	21	0.3	0
2006	23	0.4	0
2007	18	0.3	0
2008	25	0.4	0
2009	22	0.3	0
2010	25	0.4	0
2011	41	0.6	0
2012	54	0.8	0
2013	63	0.9	0
2014	83	1.2	0
2015	63	0.9	0
2016	95	1.3	0
2017	73	1.0	0
2018	118	1.6	0
2019	97	1.3	0

\*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

Note: Cases of acute hepatitis C are included in this table if they are a resident of Washington at the time of initial diagnosis/report, are a reportable case in the relevant calendar year (January 1, XXXX – December 31, XXXX), and are given a valid DOH case classification of Probable or Confirmed as determined by the CDC case definition.

# Hepatitis C, Chronic

## Statewide by Year

County	2015 Cases	2015 Rate*	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	Year	Cases	Rate*	Deaths
Adams	4	*	7	35.9	8	40.3	5	25.0	6	29.8	2001	6,052	101.4	296
Asotin	2	*	0	*	10	44.9	45	200.7	41	182.1	2002	5,218	86.1	335
Benton	31	16.4	39	20.5	159	82.2	206	104.3	191	94.6	2003	4,142	67.6	299
Chelan	15	20.0	35	46.1	51	66.4	74	95.1	40	51.0	2004	4,681	76.4	362
Clallam	85	117.0	79	107.6	95	128.0	118	157.1	123	161.8	2005	4,708	74.7	322
Clark	670	148.3	657	142.5	603	128.0	659	137.4	488	99.9	2006	5,296	82.5	355
Columbia	2	*	0	*	1	*	5	120.5	5	120.2	2007	5,481	84.0	444
Cowlitz	272	260.8	257	245.1	283	267.2	249	232.0	129	118.4	2008	6,450	97.6	473
Douglas	6	15.0	9	22.1	13	31.4	35	83.1	17	39.7	2009	5,511	82.6	550
Ferry	16	207.5	10	129.9	6	77.5	22	282.8	9	114.9	2010	5,619	83.6	560
Franklin	5	5.7	5	5.6	10	11.1	105	113.5	92	97.2	2011	5,066	74.9	580
Garfield	0	*	2	*	0	*	3	*	3	*	2012	4,865	71.4	604
Grant	26	27.7	51	53.9	48	50.2	64	65.7	63	63.8	2013	4,438	64.5	584
Grays Harbor	146	199.7	122	167.5	131	179.5	158	214.6	177	238.7	2014	5,995	86.0	645
Island	54	67.0	65	78.4	86	103.9	68	81.1	42	49.5	2015	7,085	100.3	651
Jefferson	32	103.6	33	106.1	31	98.9	34	107.6	34	106.6	2016	8,118	113.0	534
King	1,121	54.6	1,931	91.7	2,383	110.6	1,587	72.5	1,280	57.5	2017	8,839	120.9	543
Kitsap	301	116.6	244	92.9	292	110.5	210	78.6	143	52.9	2018	8,085	108.9	479
Kittitas	17	39.8	15	34.3	19	42.5	36	78.9	21	45.1	2019	6,728	89.2	452
Klickitat	19	90.5	22	103.4	38	175.4	20	91.0	20	89.2				
Lewis	99	129.1	114	148.3	114	147.2	144	183.7	106	133.4				
Lincoln	0	*	7	65.8	6	56.1	12	111.0	7	63.9				
Mason	180	289.4	106	170.1	87	137.7	306	478.0	94	144.7				
Okanogan	16	38.2	19	45.5	13	30.9	52	122.4	36	84.2				
Pacific	29	136.7	36	170.0	47	221.2	56	261.4	42	194.1				
Pend Oreille	22	166.2	24	180.6	16	119.7	25	184.6	11	80.1				
Pierce	952	114.7	1,002	118.7	1,187	138.1	838	96.1	691	77.8				
San Juan	17	105.1	10	61.3	10	60.6	9	53.5	15	87.5				
Skagit	153	126.8	115	94.1	128	103.1	178	140.7	115	89.0				
Skamania	1	*	1	*	0	*	17	143.0	11	91.2				
Snohomish	728	96.1	912	118.0	1,239	157.0	842	104.6	741	90.5				
Spokane	725	148.5	739	150.0	812	162.5	860	169.3	758	147.1				
Stevens	46	104.5	42	95.2	113	253.9	59	131.0	62	136.1				
Thurston	274	102.5	293	107.4	291	105.1	270	95.8	243	85.0				
Wahkiakum	0	*	0	*	2	*	4	*	5	119.3				
Walla Walla	41	67.6	26	42.8	40	65.1	93	150.5	62	99.7				
Whatcom	286	136.3	296	139.3	199	92.0	224	101.7	165	73.2				
Whitman	3	*	4	*	8	16.4	24	48.8	17	33.9				
Yakima	187	74.8	180	71.7	235	92.9	268	105.3	205	80.1				
Unspecified‡	502	-	609	-	25	-	101	-	418	-				
<b>State Totals</b>	<b>7,085</b>	<b>100.3</b>	<b>8,118</b>	<b>113.0</b>	<b>8,839</b>	<b>120.9</b>	<b>8,085</b>	<b>108.9</b>	<b>6,728</b>	<b>89.2</b>				

\*All incidence rates are cases per 100,000 population. County incidence rates not calculated for <5 cases.

‡Includes cases diagnosed in correctional and other state facilities.

Note: Cases of chronic hepatitis C are included in this table if they are a resident of Washington at the time of initial diagnosis/report, are a reportable case in the relevant calendar year (January 1, XXXX – December 31, XXXX), and are given a valid DOH case classification of Probable or Confirmed as determined by the CDC case definition.

Changes were made to the way data were compiled in 2016.

# Herpes Simplex

## Statewide by Year

County	2015 Cases	2015 Rate*	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*
Adams	2	+	3	+	3	+	5	+	1	+
Asotin	3	+	4	+	5	+	0	0	2	+
Benton	66	34.9	70	36.8	64	33.1	69	35.0	58	28.7
Chelan	4	+	9	+	15	+	9	+	8	+
Clallam	22	30.2	14	+	20	26.9	21	28.0	10	+
Clark	183	41.2	231	50.1	305	64.8	281	58.6	278	56.9
Columbia	0	0	0	0	0	0	0	0	0	0
Cowlitz	52	50.0	55	52.5	50	47.2	28	26.1	13	+
Douglas	1	+	1	+	6	+	2	+	3	+
Ferry	3	+	1	+	1	+	1	+	3	+
Franklin	36	40.4	40	45.1	27	29.9	31	33.5	27	28.5
Garfield	0	0	0	0	0	0	0	0	0	0
Grant	18	19.2	30	31.7	21	22.0	25	25.7	27	27.3
Grays Harbor	19	25.9	14	+	3	+	7	+	18	24.3
Island	22	27.4	14	+	9	+	26	31.0	19	22.4
Jefferson	5	+	3	+	4	+	2	+	2	+
King	770	38.0	739	35.1	356	16.5	15	+	17	0.8
Kitsap	91	35.5	67	25.5	108	40.9	75	28.1	86	31.8
Kittitas	25	58.9	21	48.0	14	+	9	+	16	+
Klickitat	2	+	5	+	1	+	2	+	1	+
Lewis	8	+	20	26.0	9	+	10	+	1	+
Lincoln	2	+	4	+	0	0	0	0	0	0
Mason	10	+	11	+	20	31.7	12	+	8	+
Okanogan	7	+	14	+	1	+	3	+	13	+
Pacific	3	+	6	+	0	0	5	+	0	0
Pend Oreille	3	+	3	+	10	+	3	+	3	+
Pierce	474	57.5	474	56.1	409	47.6	482	55.3	561	63.2
San Juan	1	+	2	+	0	+	1	+	2	+
Skagit	25	20.9	41	33.5	57	45.9	42	33.2	50	38.7
Skamania	0	0	1	+	2	+	0	0	2	+
Snohomish	217	29.1	203	26.3	127	16.1	92	11.4	137	16.7
Spokane	186	38	206	41.8	163	32.6	148	29.1	138	26.8
Stevens	6	+	2	+	11	+	7	+	4	+
Thurston	67	25.2	99	36.3	72	26.0	77	27.3	90	31.5
Wahkiakum	1	+	0	0	0	0	1	+	0	0
Walla Walla	21	34.9	25	41.2	25	40.7	7	+	19	30.5
Whatcom	53	25.4	45	21.2	53	24.5	61	27.7	58	25.7
Whitman	6	+	8	+	11	+	7	+	8	+
Yakima	110	44.0	63	25.1	76	30.0	46	18.1	57	22.3
<b>State Totals<sup>+</sup></b>	<b>2,524</b>	<b>36.0</b>	<b>2,548</b>	<b>35.5</b>	<b>2,058</b>	<b>28.2</b>	<b>1,612</b>	<b>21.7</b>	<b>1,740</b>	<b>23.1</b>

Year	Cases	Rate*	Deaths
2003	2,073	33.8	0
2004	2,153	34.7	0
2005	2,331	37.0	0
2006	2,446	38.1	0
2007	1,952	29.9	0
2008	2,009	30.4	0
2009	1,875	28.1	0
2010	2,028	30.2	0
2011	2,149	31.8	0
2012	2,197	32.2	0
2013	2,207	32.1	0
2014	2,082	29.9	0
2015	2,524	36.0	0
2016	2,548	35.5	0
2017	2,058	28.2	0
2018	1,612	21.7	0
2019	1,740	23.1	0

Note: Data prior to 2009 are based on year reported rather than year diagnosed.

\*All incidence rates are cases per 100,000 population.

+County incidence rates based on counts ≤16 are suppressed due to statistical instability.

Data source: PHIMS-STD 1/26/2021.

Note: Cases are included in this table if they are residing in Washington based on reported address at the time of diagnosis, are a reportable case in the relevant calendar year (January 1, XXXX – December 31, XXXX), and are given a valid DOH case classification of Probable or Confirmed as determined by the CDC case definition.



# Human Immunodeficiency Virus (HIV)<sup>‡</sup>

County	2015 Cases	2015 Rate*	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*
Adams	1	-	0	-	0	-	0	-	1	-
Asotin	1	-	0	-	0	-	0	-	0	-
Benton	0	-	7	3.7	2	-	0	-	13	6.4
Chelan	5	6.7	6	7.9	1	-	3	-	2	-
Clallam	4	-	2	-	2	-	5	6.7	2	-
Clark	17	3.8	18	3.9	24	5.1	21	4.4	28	5.7
Columbia	0	-	0	-	1	-	0	-	0	-
Cowlitz	2	-	2	-	4	-	1	-	3	-
Douglas	3	-	0	-	1	-	1	-	2	-
Ferry	0	-	0	-	0	-	0	-	0	-
Franklin	5	5.7	3	-	1	-	5	5.4	6	6.3
Garfield	0	-	0	-	0	-	0	-	0	-
Grant	0	-	0	-	0	-	4	-	2	-
Grays Harbor	4	-	1	-	4	-	0	-	2	-
Island	1	-	2	-	3	-	2	-	5	5.9
Jefferson	1	-	2	-	0	-	1	-	0	-
King	203	9.9	181	8.6	177	8.2	227	10.4	191	8.6
Kitsap	10	3.9	7	2.7	9	3.4	9	3.4	9	3.3
Kittitas	1	-	1	-	0	-	1	-	2	-
Klickitat	0	-	0	-	1	-	0	-	0	-
Lewis	1	-	0	-	0	-	1	-	2	-
Lincoln	0	-	1	-	1	-	0	-	0	-
Mason	5	8.0	3	-	4	-	5	7.8	5	7.7
Okanogan	0	-	1	-	0	-	0	-	1	-
Pacific	0	-	0	-	0	-	1	-	0	-
Pend Oreille	1	-	0	-	0	-	0	-	1	-
Pierce	64	7.7	42	5.0	41	4.8	49	5.6	53	6.0
San Juan	0	-	0	-	0	-	0	-	0	-
Skagit	1	-	7	5.7	4	-	3	-	3	-
Skamania	1	-	0	-	0	-	0	-	0	-
Snohomish	34	4.5	36	4.7	27	3.4	20	2.5	29	3.5
Spokane	19	3.9	26	5.3	22	4.4	17	3.3	26	5.0
Stevens	0	-	1	-	0	-	0	-	0	-
Thurston	7	2.6	8	2.9	10	3.6	8	2.8	6	2.1
Wahkiakum	0	-	0	-	0	-	0	-	0	-
Walla Walla	0	-	1	-	2	-	1	-	0	-
Whatcom	6	2.9	2	-	8	3.7	3	-	5	2.2
Whitman	1	-	0	-	0	-	3	-	0	-
Yakima	6	2.4	10	4.0	26	10.3	10	3.9	9	3.5
<b>State Totals</b>	<b>404</b>	<b>5.7</b>	<b>370</b>	<b>5.2</b>	<b>375</b>	<b>5.1</b>	<b>401</b>	<b>5.4</b>	<b>408</b>	<b>5.4</b>

## Statewide by Year<sup>+</sup>

Year	PLWH <sup>u</sup>	Rate*	Deaths**
2004	8,385	135.1	168
2005	8,822	140.1	207
2006	9,318	145.1	171
2007	9,824	150.6	174
2008	10,261	155.3	166
2009	10,651	159.6	176
2010	11,020	163.9	156
2011	11,138	164.6	160
2012	11,303	165.8	141
2013	11,637	169.1	154
2014	11,941	171.4	162
2015	12,382	175.3	139
2016	12,767	177.7	164
2017	13,267	181.5	164
2018	13,652	183.8	204
2019	13,862	183.7	172
2020	14,061	183.7	N/A

### <sup>+</sup>People Living with HIV Disease and Related Deaths

<sup>u</sup>People Living With HIV. Includes resident cases of HIV disease reported to the health department and presumed living in Washington at a specific point in time, regardless of where each case was diagnosed. This methodology accounts for in-migration as well as out-migration, which results in slower increase of people living in Washington over time.

\*\*Includes deaths by any cause.

<sup>‡</sup>Cases are presented by year of initial HIV diagnosis, regardless of diagnostic status (HIV or AIDS), and by county of residence at time of diagnosis. Data reflects cases reported through 6/30/2021.

\*All rates are cases per 100,000 population. New HIV case rates not calculated for fewer than 5 cases.

Note: Cases of HIV are included in this table if they are a resident of Washington at the time of initial diagnosis/report, are a reportable case in the relevant calendar year (January 1, XXXX – December 31, XXXX), and are given a valid DOH case classification of HIV and/or AIDS as determined by the CDC case definition.

# Legionellosis

Year	Cases	Rate*	Deaths
1985	7	0.2	2
1986	15	0.3	8
1987	24	0.5	3
1988	29	0.6	4
1989	30	0.6	5
1990	18	0.4	4
1991	15	0.3	5
1992	15	0.3	5
1993	12	0.2	2
1994	13	0.2	2
1995	22	0.4	6
1996	7	0.1	2
1997	11	0.2	0
1998	15	0.3	2
1999	21	0.4	4
2000	19	0.3	1
2001	10	0.2	1
2002	8	0.1	3
2003	14	0.2	1
2004	15	0.2	4
2005	18	0.3	1
2006	20	0.3	1
2007	24	0.4	2
2008	19	0.3	1
2009	29	0.4	2
2010	35	0.5	4
2011	43	0.6	4
2012	30	0.4	5
2013	52	0.8	5
2014	63	0.9	8
2015	58	0.8	2
2016	72	1.0	10
2017	56	0.8	6
2018	54	0.7	7
2019	76	1.0	6

\*All rates are cases per 100,000 population.

# Leptospirosis

Year	Cases	Rate*	Deaths
1986	0	0	0
1987	0	0	0
1988	0	0	0
1989	0	0	0
1990	0	0	0
1991	0	0	0
1992	0	0	0
1993	0	0	0
1994	0	0	0
1995	0	0	0
1996	2	0	0
1997	2	0	0
1998	0	0	0
1999	0	0	0
2000	0	0	0
2001	4	0	0
2002	0	0	0
2003	1	0	0
2004	0	0	0
2005	4	0	0
2006	1	0	0
2007	5	0	0
2008	1	0	0
2009	0	0	0
2010	1	0	0
2011	0	0	0
2012	2	0	0
2013	0	0	0
2014	0	0	0
2015	2	0	0
2016	2	0	0
2017	0	0	0
2018	3	0	0
2019	4	0	0

\*All rates are cases per 100,000 population.

## Listeriosis

Year	Cases	Rate*	Deaths
1985	21	0.5	1
1986	37	0.8	5
1987	36	0.8	6
1988	38	0.8	4
1989	21	0.4	2
1990	22	0.5	3
1991	18	0.4	6
1992	13	0.3	0
1993	21	0.4	2
1994	13	0.2	3
1995	24	0.4	1
1996	11	0.2	3
1997	17	0.3	1
1998	12	0.2	3
1999	19	0.3	5
2000	12	0.2	2
2001	15	0.3	1
2002	11	0.2	0
2003	13	0.2	3
2004	13	0.2	3
2005	14	0.2	3
2006	18	0.3	3
2007	25	0.4	2
2008	29	0.4	3
2009	24	0.4	4
2010	24	0.4	1
2011	19	0.3	2
2012	26	0.4	5
2013	21	0.3	1
2014	24	0.3	5
2015	21	0.3	3
2016	14	0.2	2
2017	17	0.2	3
2018	15	0.2	2
2019	18	0.2	5

\*All rates are cases per 100,000 population.

## Lyme Disease

Year	Cases	Rate*	Deaths
1986	1	0	0
1987	10	0.2	0
1988	12	0.3	0
1989	37	0.8	0
1990	33	0.7	0
1991	7	0.1	0
1992	14	0.3	0
1993	9	0.2	0
1994	4	0.1	0
1995	10	0.2	0
1996	18	0.3	0
1997	10	0.2	0
1998	7	0.1	0
1999	14	0.2	0
2000	9	0.2	0
2001	9	0.2	0
2002	12	0.2	0
2003	7	0.1	0
2004	14	0.2	0
2005	13	0.2	0
2006	8	0.1	0
2007	12	0.2	0
2008	23	0.3	0
2009	16	0.2	0
2010	16	0.2	0
2011	19	0.3	0
2012	15	0.2	0
2013	21	0.3	0
2014	15	0.2	0
2015	24	0.3	0
2016	31	0.4	0
2017	39	0.5	0
2018	20	0.3	0
2019	43	0.6	0

\*All rates are cases per 100,000 population.

# Malaria

Year	Cases	Rate*	Deaths
1981	30	0.7	0
1982	24	0.6	0
1983	15	0.3	0
1984	20	0.5	0
1985	34	0.8	0
1986	35	0.8	0
1987	28	0.6	0
1988	24	0.5	0
1989	44	0.9	0
1990	33	0.7	0
1991	29	0.6	0
1992	21	0.4	0
1993	41	0.8	0
1994	45	0.8	0
1995	23	0.4	0
1996	41	0.7	0
1997	49	0.9	0
1998	30	0.5	0
1999	43	0.7	0
2000	43	0.7	0
2001	19	0.3	0
2002	26	0.4	0
2003	34	0.6	0
2004	24	0.4	0
2005	24	0.4	0
2006	43	0.7	1
2007	30	0.5	0
2008	32	0.5	0
2009	26	0.4	1
2010	39	0.6	0
2011	24	0.4	0
2012	26	0.4	0
2013	30	0.4	0
2014	41	0.6	0
2015	23	0.3	0
2016	46	0.6	0
2017	34	0.5	0
2018	40	0.5	0
2019	31	0.4	0

\*All rates are cases per 100,000 population.

# Measles

## Statewide by Year

County	2015 Cases	2015 Rate*	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	Year	Cases	Rate*	Deaths
Adams	0	0	0	0	0	0	0	0	0	0	1980	178	4.3	0
Asotin	0	0	0	0	0	0	0	0	0	0	1981	3	0.1	0
Benton	0	0	0	0	0	0	0	0	0	0	1982	42	1.0	0
Chelan	0	0	0	0	0	0	0	0	0	0	1983	43	1.0	0
Clallam	6	8.3	0	0	0	0	0	0	0	0	1984	178	4.1	0
Clark	0	0	0	0	0	0	1	+	71	14.5	1985	178	4.0	0
Columbia	0	0	0	0	0	0	0	0	0	0	1986	176	3.9	0
Cowlitz	0	0	0	0	0	0	0	0	0	0	1987	47	1.0	0
Douglas	0	0	0	0	0	0	0	0	0	0	1988	7	0.2	0
Ferry	0	0	0	0	0	0	0	0	0	0	1989	56	1.2	0
Franklin	0	0	0	0	0	0	0	0	0	0	1990	357	7.3	2
Garfield	0	0	0	0	0	0	0	0	0	0	1991	67	1.3	0
Grant	0	0	0	0	0	0	0	0	0	0	1992	11	0.2	0
Grays Harbor	1	+	0	0	0	0	0	0	0	0	1993	0	0.0	0
Island	0	0	0	0	0	0	0	0	0	0	1994	5	0.1	0
Jefferson	0	0	0	0	0	0	0	0	0	0	1995	17	0.3	0
King	0	0	0	0	2	+	1	+	16	0.7	1996	38	0.7	0
Kitsap	0	0	0	0	0	0	0	0	0	0	1997	2	0.0	0
Kittitas	0	0	0	0	0	0	0	0	0	0	1998	1	0.0	0
Klickitat	0	0	0	0	0	0	0	0	0	0	1999	5	0.1	0
Lewis	0	0	0	0	0	0	0	0	0	0	2000	3	0.1	0
Lincoln	0	0	0	0	0	0	0	0	0	0	2001	15	0.3	0
Mason	0	0	0	0	0	0	0	0	0	0	2002	1	0.0	0
Okanogan	0	0	0	0	0	0	0	0	0	0	2003	0	0.0	0
Pacific	0	0	0	0	0	0	0	0	0	0	2004	7	0.1	0
Pend Oreille	0	0	0	0	0	0	0	0	0	0	2005	1	0.0	0
Pierce	0	0	0	0	0	0	0	0	2	+	2006	1	0.0	0
San Juan	0	0	0	0	0	0	0	0	0	0	2007	3	0.0	0
Skagit	0	0	0	0	0	0	0	0	0	0	2008	19	0.3	0
Skamania	0	0	0	0	0	0	0	0	0	0	2009	1	0.0	0
Snohomish	0	0	0	0	0	0	6	0.7	1	+	2010	1	0.0	0
Spokane	2	+	0	0	0	0	0	0	0	0	2011	4	0.1	0
Stevens	0	0	0	0	0	0	0	0	0	0	2012	0	0.0	0
Thurston	0	0	0	0	0	0	0	0	0	0	2013	4	0.1	0
Wahkiakum	0	0	0	0	0	0	0	0	0	0	2014	33	0.5	0
Walla Walla	0	0	0	0	0	0	0	0	0	0	2015	10	0.1	1
Whatcom	1	+	0	0	0	0	0	0	0	0	2016	0	0.0	0
Whitman	0	0	0	0	1	+	0	0	0	0	2017	3	0.0	0
Yakima	0	0	0	0	0	0	0	0	0	0	2018	8	0.1	0
<b>State Totals</b>	10	0.1	0	0	3	0	8	0.1	90	1.2	2019	90	1.2	0

\*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

# Meningococcal Disease

## Statewide by Year

County	2015 Cases	2015 Rate*	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*
Adams	0	0	0	0	0	0	0	0	0	0
Asotin	0	0	0	0	0	0	0	0	0	0
Benton	1	+	0	0	0	0	0	0	0	0
Chelan	1	+	0	0	0	0	0	0	0	0
Clallam	0	0	0	0	0	0	0	0	0	0
Clark	1	+	0	0	1	+	1	+	0	0
Columbia	0	0	0	0	0	0	0	0	0	0
Cowlitz	0	0	0	0	0	0	2	+	0	0
Douglas	0	0	0	0	0	0	0	0	0	0
Ferry	0	0	0	0	0	0	0	0	0	0
Franklin	0	0	0	0	0	0	0	0	1	+
Garfield	0	0	0	0	0	0	0	0	0	0
Grant	0	0	0	0	1	+	1	+	0	0
Grays Harbor	0	0	0	0	0	0	0	0	0	0
Island	0	0	0	0	0	0	0	0	1	+
Jefferson	0	0	0	0	0	0	0	0	0	0
King	3	+	3	+	2	+	5	0.2	4	+
Kitsap	0	0	0	0	1	+	0	0	0	0
Kittitas	0	0	0	0	0	0	0	0	0	0
Klickitat	0	0	0	0	0	0	0	0	0	0
Lewis	2	+	0	0	0	0	1	+	0	0
Lincoln	0	0	0	0	0	0	0	0	0	0
Mason	0	0	0	0	0	0	0	0	0	0
Okanogan	0	0	0	0	0	0	0	0	0	0
Pacific	0	0	0	0	0	0	0	0	0	0
Pend Oreille	0	0	0	0	0	0	0	0	0	0
Pierce	1	+	8	0.9	2	+	7	0.8	4	+
San Juan	0	0	0	0	0	0	0	0	0	0
Skagit	0	0	0	0	0	0	0	0	0	0
Skamania	0	0	0	0	0	0	0	0	0	0
Snohomish	0	0	1	+	1	+	0	0	1	+
Spokane	0	0	0	0	1	+	2	+	2	+
Stevens	0	0	0	0	0	0	0	0	0	0
Thurston	1	+	1	+	1	+	1	+	0	0
Wahkiakum	0	0	0	0	0	0	0	0	0	0
Walla Walla	0	0	0	0	0	0	0	0	0	0
Whatcom	0	0	0	0	1	+	0	0	1	+
Whitman	0	0	0	0	0	0	0	0	0	0
Yakima	0	0	0	0	0	0	0	0	0	0
<b>State Totals</b>	<b>10</b>	<b>0.1</b>	<b>13</b>	<b>0.2</b>	<b>11</b>	<b>0.2</b>	<b>20</b>	<b>0.3</b>	<b>14</b>	<b>0.2</b>

Year	Cases	Rate*	Deaths
1980	67	1.6	2
1981	78	1.8	3
1982	56	1.3	2
1983	48	1.1	3
1984	56	1.3	3
1985	67	1.5	6
1986	62	1.4	5
1987	87	1.9	4
1988	76	1.6	3
1989	96	2.0	12
1990	80	1.6	5
1991	73	1.5	8
1992	92	1.8	5
1993	97	1.8	6
1994	111	2.1	7
1995	126	2.3	7
1996	116	2.1	10
1997	115	2.0	11
1998	77	1.3	7
1999	93	1.6	4
2000	71	1.2	6
2001	71	1.2	6
2002	76	1.3	8
2003	61	1.0	7
2004	42	0.7	4
2005	53	0.8	4
2006	45	0.7	1
2007	32	0.5	8
2008	40	0.6	4
2009	26	0.4	3
2010	33	0.5	3
2011	22	0.3	0
2012	24	0.4	1
2013	20	0.3	3
2014	17	0.2	2
2015	10	0.1	1
2016	13	0.2	1
2017	11	0.2	1
2018	20	0.3	0
2019	14	0.2	0

\*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.



# Mumps

Year	Cases	Rate*	Deaths
1980	166	4.0	0
1981	165	3.9	0
1982	102	2.4	0
1983	55	1.3	0
1984	56	1.3	0
1985	42	1.0	0
1986	30	0.7	0
1987	70	1.5	0
1988	44	1.0	0
1989	59	1.2	0
1990	66	1.4	0
1991	178	3.5	0
1992	18	0.4	0
1993	14	0.3	0
1994	23	0.4	0
1995	16	0.3	0
1996	26	0.5	0
1997	21	0.4	0
1998	11	0.2	0
1999	2	0	0
2000	10	0.2	0
2001	2	0	0
2002	0	0	0
2003	11	0.2	0
2004	2	0	0
2005	3	0	0
2006	42	0.7	0
2007	53	0.8	0
2008	14	0.2	0
2009	6	0.1	0
2010	7	0.1	0
2011	2	0	0
2012	2	0	0
2013	2	0	0
2014	9	0.1	0
2015	7	0.1	0
2016	152	2.1	0
2017	779	10.7	0
2018	58	0.8	0
2019	55	0.7	0

\*All rates are cases per 100,000 population.

# Pertussis

## Statewide by Y

County	2015	2015	2016	2016	2017	2017	2018	2018	2019	2019	Year	Cases	Rate*
	Cases	Rate*	Cases	Rate*	Cases	Rate*	Cases <sup>^</sup>	Rate* <sup>^</sup>	Cases	Rate*			
Adams	1	+	1	+	1	+	0	0	0	0	1980	77	1.9
Asotin	1	+	1	+	0	0	0	0	0	0	1981	58	1.4
Benton	4	+	7	3.7	5	2.6	7	3.5	2	+	1982	36	0.8
Chelan	5	6.7	1	+	3	+	10	12.9	3	+	1983	20	0.5
Clallam	4	+	12	16.3	0	0	0	0	5	6.6	1984	326	7.5
Clark	322	71.0	64	13.9	101	21.4	106	22.1	123	25.2	1985	92	2.1
Columbia	3	+	0	0	0	0	0	0	0	0	1986	163	3.7
Cowlitz	24	23.0	21	20.0	12	11.3	63	58.7	36	33.0	1987	110	2.4
Douglas	1	+	0	0	1	+	3	+	1	+	1988	130	2.8
Ferry	0	0	0	0	0	0	0	0	7	89.4	1989	201	4.3
Franklin	1	+	1	+	3	+	5	5.4	1	+	1990	227	4.7
Garfield	0	0	0	0	0	0	0	0	0	0	1991	149	3.0
Grant	14	14.9	4	+	64	66.9	13	13.4	2	+	1992	241	4.7
Grays Harbor	10	13.7	10	13.7	1	+	4	+	1	+	1993	96	1.8
Island	17	21.1	4	+	2	+	2	+	5	5.9	1994	140	2.6
Jefferson	30	97.2	13	41.8	2	+	0	0	0	0	1995	491	9.0
King	210	10.2	121	5.7	121	5.6	103	4.7	54	2.4	1996	830	14.9
Kitsap	95	36.8	14	5.3	10	3.8	6	2.2	6	2.2	1997	481	8.5
Kittitas	7	16.4	8	18.3	5	11.2	16	35.1	0	0	1998	406	7.1
Klickitat	5	23.8	0	0	0	0	0	0	0	0	1999	739	12.7
Lewis	16	20.9	2	+	5	6.5	7	8.9	16	20.1	2000	458	7.8
Lincoln	0	0	0	0	0	0	5	46.3	1	+	2001	184	3.1
Mason	4	+	2	+	5	7.9	0	0	2	+	2002	575	9.5
Okanogan	0	0	0	0	0	0	18	42.4	4	+	2003	844	13.8
Pacific	10	47.1	0	0	0	0	0	0	0	0	2004	842	13.6
Pend Oreille	1	+	0	0	0	0	1	+	2	+	2005	1,026	16.3
Pierce	157	18.9	87	10.3	119	13.8	59	6.8	66	7.4	2006	377	5.9
San Juan	0	0	2	+	1	+	0	0	0	0	2007	482	7.4
Skagit	5	4.1	11	9.0	17	13.7	7	5.5	2	+	2008	460	7.0
Skamania	1	+	0	0	0	0	1	+	0	0	2009	291	4.4
Snohomish	244	32.2	81	10.5	47	6.0	43	5.3	19	2.3	2010	607	9.0
Spokane	48	9.8	67	13.6	34	6.8	62	12.2	178	34.5	2011	962	14.2
Stevens	1	+	3	+	0	0	0	0	9	19.7	2012	4,916	72.1
Thurston	32	12.0	24	8.8	19	6.9	24	8.5	11	3.8	2013	748	10.9
Wahkiakum	0	0	0	0	0	0	0	0	1	+	2014	600	8.6
Walla Walla	37	61	0	0	1	+	2	+	4	+	2015	1,383	19.6
Whatcom	61	29.1	52	24.5	95	43.9	53	24.1	33	14.6	2016	618	8.6
Whitman	2	+	1	+	0	0	0	0	0	0	2017	740	10.1
Yakima	10	4.0	4	+	66	26.1	11	4.3	4	1.6	2018	631 <sup>^</sup>	8.5
<b>State Totals</b>	<b>1,383</b>	<b>19.6</b>	<b>618</b>	<b>8.6</b>	<b>740</b>	<b>10.1</b>	<b>631</b>	<b>8.5</b>	<b>598</b>	<b>7.9</b>	<b>2019</b>	<b>598</b>	<b>7.9</b>

\*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

<sup>^</sup>Previously reported as 847 cases. Has now been amended to include four cases that are not included in the CDC's 2018 count for WA state. Additionally, the previous case count erroneously included 220 suspected cases, which have now been removed. The final corrected 2018 pertussis case count for WA is 631.

# Plague

Year	Cases	Rate*	Deaths
1986	0	0	0
1987	0	0	0
1988	0	0	0
1989	0	0	0
1990	0	0	0
1991	0	0	0
1992	0	0	0
1993	0	0	0
1994	0	0	0
1995	0	0	0
1996	0	0	0
1997	0	0	0
1998	0	0	0
1999	0	0	0
2000	0	0	0
2001	0	0	0
2002	0	0	0
2003	0	0	0
2004	0	0	0
2005	0	0	0
2006	0	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	0	0	0
2011	0	0	0
2012	0	0	0
2013	0	0	0
2014	0	0	0
2015	0	0	0
2016	0	0	0
2017	0	0	0
2018	0	0	0
2019	0	0	0

\*All rates are cases per 100,000 population.

# Poliomyelitis

Year	Cases	Rate*	Deaths
1985	0	0	0
1986	0	0	0
1987	1 <sup>‡</sup>	0	0
1988	1 <sup>‡</sup>	0	0
1989	0	0	0
1990	0	0	0
1991	1 <sup>‡</sup>	0	0
1992	1 <sup>‡</sup>	0	0
1993	1 <sup>‡</sup>	0	0
1994	0	0	0
1995	0	0	0
1996	0	0	0
1997	0	0	0
1998	0	0	0
1999	0	0	0
2000	0	0	0
2001	0	0	0
2002	0	0	0
2003	0	0	0
2004	0	0	0
2005	0	0	0
2006	0	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	0	0	0
2011	0	0	0
2012	0	0	0
2013	0	0	0
2014	0	0	0
2015	0	0	0
2016	0	0	0
2017	0	0	0
2018	0	0	0
2019	0	0	0

\*All rates are cases per 100,000 population.

<sup>‡</sup>Vaccine-associated cases.

## Prion Disease, Human

Year	sCJD	Familial CJD	Iatrogenic CJD	VPSPr	GSS Syndrome	Total (Definite or Probable)
2008	17	0	0	0	0	17
2009	7	2	0	0	0	9
2010	7	1	0	0	0	8
2011	9	0	0	0	0	9
2012	14	1	0	1	0	16
2013	13	0	1	0	1	15
2014	11	1	0	0	0	12
2015	11	1	0	0	0	12
2016	17	1	0	0	0	18
2017	10	0	0	0	0	10
2018	15	0	0	0	0	15
2019	10	0	0	0	0	10

sCJD: Spontaneous CJD

GSS: Gerstmann-Straussler-Scheinker disease

VPSPr: Variably protease-sensitive prionopath

Note: RT-QuIC testing became standard in 2015 and integrated in the case definition in 2018.

## Psittacosis

Year	Cases	Rate*	Deaths
1985	3	0.1	1
1986	7	0.2	0
1987	12	0.3	0
1988	8	0.2	0
1989	4	0.1	1
1990	5	0.1	0
1991	6	0.1	0
1992	13	0.3	0
1993	4	0.1	0
1994	4	0.1	0
1995	7	0.1	0
1996	4	0.1	0
1997	0	0	0
1998	3	0.1	0
1999	0	0	0
2000	1	0	0
2001	0	0	0
2002	0	0	0
2003	0	0	0
2004	0	0	0
2005	1	0	0
2006	0	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	0	0	0
2011	0	0	0
2012	0	0	0
2013	0	0	0
2014	0	0	0
2015	0	0	0
2016	0	0	0
2017	0	0	0
2018	0	0	0
2019	0	0	0

\*All rates are cases per 100,000 population.

## Q Fever

Year	Cases	Rate*	Deaths
1986	2	0	0
1987	1	0	1
1988	1	0	0
1989	0	0	0
1990	2	0	0
1991	0	0	0
1992	1	0	0
1993	0	0	0
1994	0	0	0
1995	1	0	0
1996	0	0	0
1997	0	0	0
1998	0	0	0
1999	1	0	0
2000	0	0	0
2001	0	0	0
2002	0	0	0
2003	0	0	0
2004	0	0	0
2005	2	0	0
2006	0	0	0
2007	1	0	0
2008	0	0	0
2009	1	0	0
2010	3	0	1
2011	8	0.1	0
2012	3	0	2
2013	3	0	0
2014	1	0	0
2015	3	0	0
2016	7	0.1	0
2017	2	0	0
2018	3	0	0
2019	3	0	0

\*All rates are cases per 100,000 population.

## Rabies (Human)

Year	Cases	Rate*	Deaths
1985	0	0	0
1986	0	0	0
1987	0	0	0
1988	0	0	0
1989	0	0	0
1990	0	0	0
1991	0	0	0
1992	0	0	0
1993	0	0	0
1994	0	0	0
1995	1	0	1
1996	0	0	0
1997	1	0	1
1998	0	0	0
1999	0	0	0
2000	0	0	0
2001	0	0	0
2002	0	0	0
2003	0	0	0
2004	0	0	0
2005	0	0	0
2006	0	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	0	0	0
2011	0	0	0
2012	0	0	0
2013	0	0	0
2014	0	0	0
2015	0	0	0
2016	0	0	0
2017	0	0	0
2018	0	0	0
2019	0	0	0

\*All rates are cases per 100,000 population.



## Rare Sexually Transmitted Diseases

Year	Total	Chancroid	Granuloma inguinale	Lymphogranuloma venereum
1986	1	1	0	0
1987	7	1	1	5
1988	1	0	0	1
1989	13	6	0	7
1990	3	1	1	1
1991	7	3	2	2
1992	4	2	0	2
1993	4	0	0	4
1994	4	1	0	3
1995	6	5	0	1
1996	2	1	0	1
1997	2	2	0	0
1998	1	1	0	0
1999	0	0	0	0
2000	1	0	0	1
2001	0	0	0	0
2002	1	1	0	0
2003	1	0	0	1
2004	0	0	0	0
2005	3	0	0	3
2006	0	0	0	0
2007	1	0	0	1
2008	5	1	0	4
2009	2	0	0	2
2010	3	1	0	2
2011	1	0	0	1
2012	0	0	0	0
2013	0	0	0	0
2014	0	0	0	0
2015	1	0	0	1
2016	1	0	0	1
2017	1	0	0	1
2018	2	1	0	1
2019	2	0	0	2

Data source: PHIMS-STD 1/26/2021.

Note: Cases are included in this table if they are residing in Washington based on reported address at the time of diagnosis, are a reportable case in the relevant calendar year (January 1, XXXX – December 31, XXXX), and are given a valid DOH case classification of Probable or Confirmed as determined by the current CDC case definition. Data prior to 2009 are based on year reported rather than year diagnosed.

## Relapsing Fever

Year	Cases	Rate*	Deaths
1986	2	0	0
1987	7	0.2	1
1988	5	0.1	0
1989	5	0.1	0
1990	4	0.1	0
1991	6	0.1	0
1992	6	0.1	0
1993	2	0	0
1994	9	0.2	0
1995	12	0.2	0
1996	8	0.1	0
1997	4	0.1	0
1998	5	0.1	0
1999	3	0.1	0
2000	5	0.1	1
2001	1	0	0
2002	7	0.1	0
2003	6	0.1	0
2004	6	0.1	0
2005	6	0.1	0
2006	2	0	0
2007	9	0.1	0
2008	4	0.1	0
2009	5	0.1	0
2010	7	0.1	0
2011	11	0.2	0
2012	6	0.1	0
2013	4	0.1	0
2014	7	0.1	0
2015	3	0.1	0
2016	1	0.1	0
2017	3	0	0
2018	9	0.1	0
2019	4	0.1	0

\*All rates are cases per 100,000 population.

# Rubella

Year	Cases	Rate*	Deaths
1981	108	2.6	0
1982	58	1.4	0
1983	10	0.2	0
1984	2	0	0
1985	16	0.4	0
1986	15	0.3	0
1987	2	0	0
1988	0	0	0
1989	2	0	0
1990	6	0.1	0
1991	8	0.2	0
1992	8	0.2	0
1993	3	0.1	0
1994	0	0	0
1995	2	0	0
1996	15	0.3	0
1997	5	0.1	0
1998	5	0.1	0
1999	5	0.1	0
2000	8	0.1	0
2001	0	0	0
2002	2	0	0
2003	0	0	0
2004	0	0	0
2005	1	0	0
2006	0	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	1	0	0
2011	2	0	0
2012	0	0	0
2013	1	0	0
2014	0	0	0
2015	0	0	0
2016	0	0	0
2017	0	0	0
2018	0	0	0
2019	0	0	0

\*All rates are cases per 100,000 population.

# Salmonellosis

## Statewide by Year

County	2015	2015	2016	2016	2017	2017	2018	2018	2019	2019	Year	Cases	Rate*	Deaths
	Cases	Rate*	Cases	Rate*	Cases	Rate*	Cases	Rate*	Cases	Rate*				
Adams	2	10.3	1	+	2	+	2	+	1	+	1980	462	11.2	0
Asotin	0	0	1	+	1	+	1	+	1	+	1981	574	13.6	5
Benton	26	13.8	25	13.1	24	12.4	15	7.6	15	7.4	1982	749	17.5	0
Chelan	6	8	4	+	3	+	9	11.6	6	7.7	1983	739	17.2	0
Clallam	5	6.9	7	9.5	3	+	9	12	8	10.5	1984	515	11.8	0
Clark	49	10.8	77	16.7	66	14.0	64	13.3	52	10.6	1985	565	12.8	0
Columbia	0	0	0	0	1	+	0	0	0	0	1986	783	17.5	2
Cowlitz	15	14.4	14	13.4	10	9.4	17	15.8	12	11.0	1987	660	14.6	1
Douglas	2	+	3	+	2	+	1	+	1	+	1988	612	13.3	0
Ferry	0	0	1	+	0	0	0	0	0	0	1989	630	13.3	2
Franklin	11	12.6	11	12.4	5	5.5	6	6.5	7	7.4	1990	634	13.0	6
Garfield	1	+	0	0	0	0	1	+	0	0	1991	791	15.8	1
Grant	10	10.6	3	+	13	13.6	9	9.2	12	12.2	1992	609	11.8	1
Grays Harbor	5	6.8	4	+	8	11.0	6	8.2	6	8.1	1993	830	15.8	0
Island	6	7.4	3	+	7	8.5	6	7.2	9	10.6	1994	863	16.1	0
Jefferson	1	+	5	16.1	2	+	2	+	3	+	1995	691	12.6	0
King	435	21.2	234	11.1	242	11.2	310	14.2	248	11.1	1996	734	13.2	0
Kitsap	22	8.5	23	8.8	21	8.0	19	7.1	18	6.7	1997	675	11.9	0
Kittitas	6	14.1	5	11.4	9	20.1	1	+	1	+	1998	703	12.2	2
Klickitat	2	+	3	+	3	+	2	+	2	+	1999	792	13.6	2
Lewis	8	10.4	6	7.8	11	14.2	5	6.4	7	8.8	2000	659	11.2	1
Lincoln	1	+	1	+	1	+	0	0	1	+	2001	681	11.4	2
Mason	9	14.5	7	11.2	4	+	2	+	8	12.3	2002	655	10.8	0
Okanogan	1	+	4	+	4	+	2	+	7	16.4	2003	699	11.4	1
Pacific	2	+	3	+	2	+	0	0	3	+	2004	660	10.6	2
Pend Oreille	0	0	0	0	0	0	0	0	0	0	2005	626	9.9	0
Pierce	95	11.4	101	12.0	116	13.5	76	8.7	73	8.2	2006	627	9.8	3
San Juan	8	49.4	1	+	0	0	2	+	1	+	2007	758	11.6	2
Skagit	6	5	6	4.9	14	11.3	17	13.4	11	8.5	2008	846	12.8	3
Skamania	2	+	0	0	0	0	2	+	1	+	2009	820	12.3	2
Snohomish	120	15.8	78	10.1	80	10.1	94	11.7	80	9.8	2010	780	11.6	3
Spokane	45	9.2	40	8.1	46	9.2	38	7.5	34	6.6	2011	589	8.7	2
Stevens	5	11.4	4	+	6	13.5	2	+	5	11.0	2012	842	12.4	0
Thurston	40	15.0	19	7.0	27	9.8	27	9.6	30	10.5	2013	671	9.7	1
Wahkiakum	0	0	0	0	0	0	0	0	0	0	2014	741	10.6	2
Walla Walla	8	13.2	7	11.5	6	9.8	5	8.1	13	20.9	2015	1,034	14.6	1
Whatcom	26	12.4	23	10.8	18	8.3	27	12.3	22	9.8	2016	754	10.5	2
Whitman	6	12.7	0	0	0	0	1	+	2	+	2017	810	11.1	4
Yakima	48	19.2	30	12.0	53	20.9	48	18.9	34	13.3	2018	828	11.1	3
<b>State Totals</b>	<b>1,034</b>	<b>14.6</b>	<b>754</b>	<b>10.5</b>	<b>810</b>	<b>11.1</b>	<b>828</b>	<b>11.1</b>	<b>725</b>	<b>9.6</b>	<b>2019</b>	<b>725</b>	<b>9.6</b>	<b>0</b>

\*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

## Shellfish Poisoning: Paralytic, Domoic Acid, Diarrhetic

Year	Cases	Rate*	Deaths
1985	3	0.1	0
1986	0	0	0
1987	0	0	0
1988	7	0.2	0
1989	0	0	0
1990	0	0	0
1991	0	0	0
1992	0	0	0
1993	0	0	0
1994	0	0	0
1995	0	0	0
1996	0	0	0
1997	0	0	0
1998	5	0.1	0
1999	0	0	0
2000	7	0.1	0
2001	0	0	0
2002	0	0	0
2003	0	0	0
2004	0	0	0
2005	1	0	0
2006	1	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	0	0	0
2011	0	0	0
2012	9	0.1	0
2013	0	0	0
2014	0	0	0
2015	1	0	0
2016	0	0	0
2017	0	0	0
2018	0	0	0
2019	0	0	0

\*All rates are cases per 100,000 population.

# Shiga Toxin-Producing *Escherichia Coli* (STEC)

County	2015 Cases	2015 Rate*	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*
Adams	3	+	0	0	0	0	1	+	0	0
Asotin	1	+	0	0	1	+	0	0	1	+
Benton	8	4.2	12	6.3	11	5.7	10	5.1	15	7.4
Chelan	4	+	1	+	2	+	4	+	0	0
Clallam	2	+	0	0	4	+	2	+	2	+
Clark	45	10.0	25	5.4	38	8.1	27	5.6	25	5.1
Columbia	0	0	0	0	0	0	0	0	2	+
Cowlitz	8	7.7	3	+	6	5.7	5	4.7	3	+
Douglas	1	+	0	0	0	0	2	+	1	+
Ferry	0	0	0	0	0	0	1	+	0	0
Franklin	2	+	4	+	0	0	6	6.5	4	+
Garfield	1	+	1	+	0	0	1	+	0	0
Grant	9	9.6	3	+	7	7.3	5	5.1	6	6.1
Grays Harbor	4	+	1	+	1	+	2	+	1	+
Island	3	+	0	0	2	+	4	+	6	7.1
Jefferson	2	+	0	0	3	+	5	15.8	1	+
King	113	5.5	121	5.7	129	6.0	198	9.0	197	8.8
Kitsap	3	+	5	1.9	6	2.3	11	4.1	5	1.9
Kittitas	4	+	4	+	9	20.1	4	+	5	10.7
Klickitat	0	0	0	0	2	+	1	+	2	+
Lewis	6	7.8	7	9.1	3	+	6	7.7	4	+
Lincoln	1	+	0	0	1	+	0	0	0	0
Mason	0	0	3	+	2	+	2	+	2	+
Okanogan	1	+	1	+	2	+	3	+	4	+
Pacific	0	0	0	0	1	+	0	0	1	+
Pend Oreille	0	0	2	+	0	0	1	+	0	0
Pierce	26	3.1	33	3.9	41	4.8	45	5.2	37	4.2
San Juan	0	0	4	+	1	+	4	+	3	+
Skagit	12	9.9	10	8.2	9	7.3	18	14.2	12	9.3
Skamania	0	0	0	0	0	0	0	0	0	0
Snohomish	35	4.6	26	3.4	32	4.1	49	6.1	53	6.5
Spokane	17	3.5	17	3.5	22	4.4	26	5.1	21	4.1
Stevens	2	+	2	+	0	0	2	+	3	+
Thurston	8	3.0	13	4.8	16	5.8	31	11	21	7.3
Wahkiakum	0	0	0	0	0	0	0	0	1	+
Walla Walla	1	+	1	+	1	+	4	+	2	+
Whatcom	75	35.8	17	8.0	24	11.1	16	7.3	10	4.4
Whitman	2	+	1	+	0	0	1	+	0	0
Yakima	20	8.0	23	9.2	28	11.1	43	16.9	15	5.9
<b>State Totals</b>	<b>419</b>	<b>5.9</b>	<b>340</b>	<b>4.7</b>	<b>404</b>	<b>5.5</b>	<b>540</b>	<b>7.3</b>	<b>465</b>	<b>6.2</b>

## Statewide by Year

Year	Cases	Rate*	Deaths
1988	167	3.6	0
1989	157	3.3	1
1990	220	4.5	0
1991	164	3.3	0
1992	300	5.8	2
1993	741	14.1	3
1994	174	3.2	2
1995	140	2.6	1
1996	187	3.4	1
1997	149	2.6	0
1998	144	2.5	0
1999	186	3.2	0
2000	237	4.0	0
2001	150	2.5	0
2002	166	2.7	0
2003	128	2.1	0
2004	153	2.5	3
2005	149	2.4	0
2006	162	2.5	0
2007	141	2.2	0
2008	189	2.9	1
2009	206	3.1	0
2010	226	3.4	1
2011	203	3.0	1
2012	239	3.5	0
2013	330	4.8	3
2014	229	4.3	2
2015	419	5.9	1
2016	340	4.7	0
2017	404	5.5	1
2018	540	7.3	2
2019	465	6.2	2

\*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

# Shigellosis

## Statewide by Year

County	2015	2015	2016	2016	2017	2017	2018	2018	2019	2019	Year	Cases	Rate*	Deaths
	Cases	Rate*	Cases	Rate*	Cases	Rate*	Cases	Rate*	Cases	Rate*				
Adams	5	25.8	19	97.4	4	+	3	+	2	+	1980	287	6.9	0
Asotin	0	0	0	0	1	+	0	0	0	0	1981	426	10.1	1
Benton	2	+	1	+	5	2.6	6	3	10	5.0	1982	284	6.6	0
Chelan	1	+	2	+	2	+	3	+	1	+	1983	370	8.6	0
Clallam	0	0	1	+	2	+	2	+	6	7.9	1984	224	5.1	0
Clark	10	2.2	11	2.4	14	3.0	13	2.7	12	2.5	1985	144	3.3	0
Columbia	0	0	0	0	0	0	0	0	0	0	1986	321	7.2	0
Cowlitz	2	+	2	+	0	0	2	+	0	0	1987	318	7.0	0
Douglas	1	+	0	0	1	+	1	+	0	0	1988	306	6.6	0
Ferry	0	0	0	0	0	0	0	0	0	0	1989	232	4.9	0
Franklin	1	+	3	+	0	0	2	+	2	+	1990	278	5.7	0
Garfield	0	0	0	0	0	0	0	0	0	0	1991	405	8.1	0
Grant	7	7.5	1	+	1	+	3	+	2	+	1992	439	8.5	0
Grays Harbor	0	0	0	0	6	8.2	3	+	0	0	1993	797	15.1	0
Island	2	+	0	0	1	+	1	+	1	+	1994	478	8.9	0
Jefferson	0	0	0	0	1	+	2	+	1	+	1995	426	7.8	0
King	78	3.8	82	3.9	160	7.4	268	12.2	178	8.0	1996	333	6.0	1
Kitsap	6	2.3	1	+	5	1.9	7	2.6	6	2.2	1997	318	5.6	0
Kittitas	2	+	0	0	0	0	1	+	1	+	1998	277	4.8	0
Klickitat	0	0	0	0	0	0	0	0	1	+	1999	172	2.9	0
Lewis	0	0	1	+	0	0	0	0	2	+	2000	501	8.5	0
Lincoln	0	0	0	0	0	0	0	0	0	0	2001	236	4.0	0
Mason	0	0	1	+	0	0	1	+	2	+	2002	230	3.8	0
Okanogan	0	0	0	0	2	+	0	0	1	+	2003	188	3.1	0
Pacific	0	0	0	0	0	0	0	0	1	+	2004	133	2.1	0
Pend Oreille	0	0	1	+	0	0	0	0	0	0	2005	185	2.9	0
Pierce	14	1.7	9	1.1	22	2.6	20	2.3	27	3.0	2006	170	2.6	0
San Juan	0	0	1	+	0	0	0	0	1	+	2007	159	2.4	0
Skagit	0	0	1	+	9	7.3	7	5.5	3	+	2008	116	1.8	0
Skamania	0	0	0	0	0	0	0	0	1	+	2009	153	2.3	0
Snohomish	15	2	18	2.3	19	2.4	35	4.3	21	2.6	2010	112	1.7	0
Spokane	2	+	10	2.0	8	1.6	7	1.4	7	1.4	2011	104	1.5	0
Stevens	0	0	0	0	0	0	2	+	0	0	2012	133	2.0	0
Thurston	1	+	3	+	3	+	9	3.2	8	2.8	2013	122	1.8	0
Wahkiakum	0	0	0	0	0	0	0	0	0	0	2014	157	2.3	0
Walla Walla	0	0	0	0	1	+	0	0	6	9.6	2015	152	2.2	0
Whatcom	1	+	6	2.8	5	2.3	2	+	3	+	2016	191	2.7	0
Whitman	1	+	0	0	0	0	1	+	1	+	2017	285	3.9	0
Yakima	1	+	17	6.8	13	5.1	18	7.1	7	2.7	2018	419	5.6	0
<b>State Totals</b>	<b>152</b>	<b>2.2</b>	<b>191</b>	<b>2.7</b>	<b>285</b>	<b>3.9</b>	<b>419</b>	<b>5.6</b>	<b>314</b>	<b>4.2</b>	<b>2019</b>	<b>314</b>	<b>4.2</b>	<b>1</b>

\*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

# Syphilis (Primary and Secondary)

County	2015 Cases	2015 Rate*	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*
Adams	0	+	0	+	1	+	0	+	2	+
Asotin	0	+	0	+	1	+	0	+	0	+
Benton	13	+	4	+	6	+	9	+	24	11.9
Chelan	1	+	1	+	3	+	2	+	3	+
Clallam	1	+	2	+	5	+	2	+	2	+
Clark	21	4.7	21	4.6	33	7	33	6.9	37	7.6
Columbia	0	+	0	+	0	+	1	+	0	+
Cowlitz	4	+	3	+	21	19.8	27	25.2	20	18.4
Douglas	0	+	1	+	0	+	1	+	1	+
Ferry	0	+	0	+	0	+	0	+	0	+
Franklin	6	+	3	+	2	+	4	+	11	+
Garfield	0	+	0	+	0	+	0	+	0	+
Grant	9	+	9	+	4	+	2	+	7	+
Grays Harbor	0	+	1	+	3	+	13	+	8	+
Island	0	+	0	+	2	+	1	+	1	+
Jefferson	0	+	0	+	1	+	1	+	0	+
King	250	12.3	292	13.9	323	15	397	18.1	346	15.5
Kitsap	6	+	14	+	18	6.8	24	9.0	22	8.1
Kittitas	3	+	0	+	3	+	0	+	2	+
Klickitat	0	+	1	+	1	+	2	+	0	+
Lewis	1	+	0	+	5	+	6	+	10	+
Lincoln	0	+	0	+	0	+	0	+	0	+
Mason	4	+	6	+	5	+	10	+	8	+
Okanogan	1	+	1	+	2	+	4	+	0	+
Pacific	0	+	2	+	1	+	1	+	0	+
Pend Oreille	0	+	1	+	1	+	2	+	0	+
Pierce	41	5	58	6.9	63	7.3	66	7.6	92	10.4
San Juan	0	+	0	+	1	+	0	+	1	+
Skagit	5	+	4	+	2	+	3	+	6	+
Skamania	1	+	1	+	0	+	0	+	1	+
Snohomish	25	3.4	48	6.2	53	6.7	43	5.3	47	5.7
Spokane	28	5.7	60	12.2	78	15.6	104	20.5	129	25.0
Stevens	1	+	1	+	0	+	4	+	2	+
Thurston	9	+	6	+	8	+	18	6.4	26	9.1
Wahkiakum	0	+	1	+	1	+	0	+	0	+
Walla Walla	3	+	3	+	5	+	6	+	0	+
Whatcom	6	+	8	+	6	+	9	+	11	+
Whitman	1	+	3	+	2	+	2	+	3	+
Yakima	7	+	11	+	14	+	12	+	8	+
<b>State Totals</b>	<b>452</b>	<b>6.5</b>	<b>566</b>	<b>7.9</b>	<b>674</b>	<b>9.2</b>	<b>809</b>	<b>10.9</b>	<b>830</b>	<b>11.0</b>

## Statewide by Year

Year	Cases	Rate*	Deaths
1982	172	4.0	0
1983	196	4.6	0
1984	158	3.6	2
1985	115	2.6	2
1986	194	4.3	0
1987	176	3.9	0
1988	265	5.7	0
1989	461	9.8	0
1990	354	7.3	0
1991	178	3.5	0
1992	85	1.7	0
1993	67	1.3	0
1994	36	0.7	0
1995	17	0.3	0
1996	9	0.2	0
1997	17	0.3	0
1998	44	0.8	0
1999	77	1.3	0
2000	66	1.1	0
2001	57	1.0	0
2002	70	1.2	0
2003	82	1.3	0
2004	150	2.4	0
2005	152	2.4	0
2006	182	2.8	0
2007	168	2.6	0
2008	181	2.7	0
2009	135	2.0	0
2010	261	3.9	0
2011	329	4.9	0
2012	300	4.4	0
2013	285	4.1	0
2014	337	4.8	0
2015	452	6.5	0
2016	566	7.9	0
2017	674	9.2	0
2018	809	10.9	0
2019	830	11.0	0

Note: Data prior to 2009 are based on year reported not year diagnosed.

\*All incidence rates are cases per 100,000 population.

+County incidence rates based on counts ≤16 are suppressed due to statistical instability.

Data source: PHIMS-STD 1/26/2021.

Note: Cases are included in this table if they are residing in Washington based on reported address at the time of diagnosis, are a reportable case in the relevant calendar year (January 1, XXXX – December 31, XXXX), and are given a valid DOH case classification of Probable or Confirmed as determined by the current CDC case definition.



# Tetanus

Year	Cases	Rate*	Deaths
1985	0	0	0
1986	0	0	0
1987	1	0	0
1988	1	0	0
1989	1	0	0
1990	1	0	0
1991	1	0	0
1992	3	0.1	0
1993	1	0	0
1994	1	0	0
1995	0	0	0
1996	1	0	0
1997	1	0	0
1998	0	0	0
1999	0	0	0
2000	1	0	0
2001	0	0	0
2002	0	0	0
2003	0	0	0
2004	0	0	0
2005	1	0	0
2006	0	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	0	0	0
2011	0	0	0
2012	1	0	0
2013	0	0	0
2014	3	0	1
2015	0	0	0
2016	0	0	0
2017	0	0	0
2018	1	0	0
2019	2	0	0

\*All rates are cases per 100,000 population.

# Trichinosis

Year	Cases	Rate*	Deaths
1986	0	0	0
1987	0	0	0
1988	0	0	0
1989	2	0	0
1990	1	0	0
1991	0	0	0
1992	1	0	0
1993	1	0	0
1994	0	0	0
1995	0	0	0
1996	0	0	0
1997	0	0	0
1998	0	0	0
1999	0	0	0
2000	1	0	0
2001	0	0	0
2002	0	0	0
2003	0	0	0
2004	0	0	0
2005	0	0	0
2006	1	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	0	0	0
2011	0	0	0
2012	0	0	0
2013	0	0	0
2014	2	0	0
2015	1	0	0
2016	0	0	0
2017	1	0	0
2018	0	0	0
2019	0	0	0

\*All rates are cases per 100,000 population.

## Tuberculosis (TB)

County	2015 Cases	2015 Rate*	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*
Adams	0	0	1	+	0	0	1	+	0	0
Asotin	0	0	0	0	0	0	0	0	0	0
Benton	3	+	2	+	4	+	2	+	2	+
Chelan	3	+	2	+	0	0	2	+	0	0
Clallam	0	0	1	+	1	+	0	0	0	0
Clark	6	1.3	8	1.7	10	2.1	7	1.5	8	1.6
Columbia	0	0	0	0	0	0	0	0	0	0
Cowlitz	2	+	0	0	0	0	1	+	2	+
Douglas	2	+	1	+	1	+	0	0	0	0
Ferry	0	0	0	0	0	0	0	0	0	0
Franklin	3	+	3	+	1	+	3	+	2	+
Garfield	0	0	0	0	0	0	0	0	0	0
Grant	0	0	1	+	1	+	0	0	0	0
Grays Harbor	0	0	1	+	1	+	0	0	2	+
Island	0	0	0	0	0	0	2	+	0	0
Jefferson	0	0	0	0	0	0	0	0	0	0
King	95	4.6	102	4.8	97	4.5	94	4.3	132	5.9
Kitsap	5	1.9	1	+	5	1.9	1	+	3	+
Kittitas	1	+	0	0	0	0	1	+	0	0
Klickitat	0	0	1	+	0	0	0	0	0	0
Lewis	1	+	2	+	2	+	2	+	0	0
Lincoln	0	0	0	0	0	0	0	0	0	0
Mason	1	+	1	+	2	+	0	0	0	0
Okanogan	1	+	2	+	3	+	0	0	0	0
Pacific	2	+	0	0	0	0	1	+	0	0
Pend Oreille	0	0	0	0	0	0	0	0	0	0
Pierce	14	1.7	21	2.5	17	2.0	19	2.2	23	2.6
San Juan	0	0	0	0	0	0	0	0	0	0
Skagit	5	4.1	0	0	2	+	1	+	0	0
Skamania	0	0	0	0	0	0	0	0	0	0
Snohomish	31	4.1	30	3.9	29	3.7	21	2.6	24	2.9
Spokane	2	+	2	+	2	+	11	2.2	9	1.7
Stevens	0	0	0	0	0	0	0	0	0	0
Thurston	6	2.2	7	2.6	3	+	5	1.8	1	+
Wahkiakum	0	0	0	0	0	0	0	0	0	0
Walla Walla	1	+	0	0	0	0	0	0	1	+
Whatcom	7	3.3	2	+	6	2.8	5	2.3	4	+
Whitman	1	+	0	0	0	0	0	0	0	0
Yakima	12	4.8	7	2.8	7	2.8	5	2.0	5	2.0
<b>State Totals‡</b>	<b>207</b>	<b>2.9</b>	<b>204</b>	<b>2.8</b>	<b>207</b>	<b>2.8</b>	<b>190</b>	<b>2.6</b>	<b>221</b>	<b>2.9</b>

## Statewide by Year

Year	Cases	Rate*	Deaths
1980	424	10.3	13
1981	401	9.5	15
1982	301	7.0	6
1983	239	5.5	10
1984	207	4.8	6
1985	220	5.0	5
1986	218	4.9	3
1987	255	5.6	10
1988	236	5.1	9
1989	248	5.2	4
1990	284	5.8	12
1991	309	6.2	7
1992	306	6.0	7
1993	283	5.5	7
1994	260	4.9	6
1995	277	5.1	2
1996	283	5.2	3
1997	304	5.4	6
1998	265	4.7	5
1999	258	4.5	5
2000	258	4.4	2
2001	261	4.4	6
2002	252	4.2	4
2003	250	4.1	11
2004	245	3.9	9
2005	255	4.0	14
2006	262	4.1	18
2007	291	4.5	12
2008	228	3.5	2
2009	255	3.8	5
2010	233	3.5	8
2011	197	2.9	6
2012	185	2.7	6
2013	210	3.1	6
2014	194	2.8	4
2015	207	2.9	5
2016	204	2.8	9
2017	207	2.8	4
2018	190	2.6	10
2019	221	2.9	6

\*All incidence rates are cases per 100,000 population.

+County incidence are suppressed for <5 cases due to inherent instability of resulting estimate.

‡Includes cases entered at the state level into the Washington Disease Reporting System (WDRS).

Note: TB-related deaths prior to 2009 are reported here as per year of death in the TB surveillance record. TB-related deaths 2009 and later are reported here as per year case was counted.

# Tularemia

Year	Cases	Rate*	Deaths
1986	1	0	0
1987	4	0.1	0
1988	1	0	0
1989	2	0	0
1990	4	0.1	0
1991	2	0	0
1992	2	0	0
1993	2	0	0
1994	1	0	0
1995	4	0.1	0
1996	2	0	0
1997	2	0	0
1998	8	0.1	0
1999	2	0	0
2000	2	0	0
2001	5	0.1	0
2002	3	0	0
2003	2	0	0
2004	4	0.1	0
2005	10	0.2	0
2006	1	0	0
2007	1	0	0
2008	4	0.1	0
2009	5	0.1	1
2010	3	0	0
2011	5	0.1	0
2012	5	0.1	0
2013	5	0.1	0
2014	4	0.1	0
2015	4	0.1	0
2016	1	0	0
2017	6	0.1	0
2018	4	0.1	0
2019	4	0.1	0

\*All rates are cases per 100,000 population.

# Typhoid Fever

Year	Cases	Rate*	Deaths
1985	3	0.1	0
1986	3	0.1	0
1987	9	0.2	0
1988	13	0.3	0
1989	11	0.2	0
1990	22	0.5	0
1991	10	0.2	0
1992	11	0.2	0
1993	8	0.2	0
1994	12	0.2	0
1995	4	0.1	0
1996	4	0.1	0
1997	7	0.1	0
1998	8	0.1	0
1999	8	0.1	0
2000	6	0.1	0
2001	7	0.1	0
2002	7	0.1	0
2003	4	0.1	0
2004	6	0.1	0
2005	11	0.2	0
2006	7	0.1	0
2007	7	0.1	0
2008	15	0.2	0
2009	4	0.1	0
2010	22	0.3	0
2011	9	0.1	0
2012	11	0.2	0
2013	11	0.2	0
2014	15	0.2	0
2015	10	0.1	0
2016	13	0.2	0
2017	14	0.2	0
2018	12	0.2	0
2019	26	0.3	0

\*All rates are cases per 100,000 population.

## Vibriosis

Year	Cases	Rate*	Deaths
1985	4	0.1	0
1986	7	0.2	0
1987	18	0.4	0
1988	11	0.2	0
1989	4	0.1	0
1990	30	0.6	0
1991	4	0.1	0
1992	7	0.1	0
1993	33	0.6	0
1994	9	0.2	0
1995	6	0.1	0
1996	3	0.1	0
1997	58	1.0	0
1998	41	0.7	0
1999	21	0.4	0
2000	20	0.3	0
2001	9	0.2	0
2002	25	0.4	0
2003	18	0.3	0
2004	28	0.5	0
2005	20	0.3	0
2006	80	1.2	0
2007	25	0.4	0
2008	29	0.4	0
2009	48	0.7	0
2010	59	0.9	0
2011	45	0.7	0
2012	67	1.0	0
2013	90	1.3	0
2014	92	1.3	0
2015	68	1.0	0
2016	63	0.9	1
2017	95	1.3	0
2018	217	2.9	1
2019	159	2.1	0

\*All rates are cases per 100,000 population.

## Yersiniosis

County	2015 Cases	2015 Rate*	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*
Adams	0	0	0	0	0	0	0	0	0	0
Asotin	0	0	0	0	0	0	0	0	0	0
Benton	2	+	1	+	0	0	0	0	1	+
Chelan	1	+	0	0	0	0	0	0	0	0
Clallam	0	0	0	0	0	0	0	0	0	0
Clark	0	0	9	2	4	+	7	1.5	7	1.4
Columbia	0	0	0	0	1	+	0	0	0	0
Cowlitz	0	0	1	+	1	+	0	0	0	0
Douglas	1	+	0	0	0	0	0	0	0	0
Ferry	0	0	0	0	0	0	0	0	0	0
Franklin	2	+	1	+	0	0	1	+	0	0
Garfield	0	0	0	0	0	0	0	0	0	0
Grant	0	0	0	0	0	0	0	0	2	+
Grays Harbor	1	+	0	0	1	+	1	+	0	0
Island	0	0	0	0	0	0	2	+	1	+
Jefferson	0	0	0	0	3	+	0	0	1	+
King	16	0.8	20	1	42	2	39	1.8	59	2.7
Kitsap	1	+	0	0	4	+	3	+	2	+
Kittitas	0	0	0	0	1	+	0	0	0	0
Klickitat	1	+	1	+	0	0	0	0	0	0
Lewis	0	0	1	+	1	+	0	0	1	+
Lincoln	0	0	0	0	1	+	0	0	0	0
Mason	0	0	1	+	2	+	1	+	0	0
Okanogan	0	0	0	0	0	0	0	0	0	0
Pacific	0	0	0	0	0	0	0	0	0	0
Pend Oreille	0	0	0	0	0	0	0	0	0	0
Pierce	4	+	7	0.8	5	0.6	5	0.6	4	+
San Juan	2	+	1	+	0	0	2	+	0	0
Skagit	1	+	2	+	1	+	2	+	3	+
Skamania	0	0	0	0	0	0	0	0	0	0
Snohomish	3	+	6	0.8	9	1.0	8	1.0	16	2.0
Spokane	2	+	0	0	3	+	2	+	1	+
Stevens	0	0	0	0	0	0	0	0	2	+
Thurston	0	0	3	+	0	0	2	+	2	+
Wahkiakum	0	0	0	0	0	0	0	0	0	0
Walla Walla	0	0	0	0	1	+	1	+	2	+
Whatcom	0	0	1	+	1	+	2	+	2	+
Whitman	0	0	0	0	0	0	0	0	0	0
Yakima	3	+	1	+	0	0	1	+	0	0
<b>State Totals</b>	<b>40</b>	<b>0.6</b>	<b>56</b>	<b>0.8</b>	<b>81</b>	<b>1.1</b>	<b>79</b>	<b>1.1</b>	<b>106</b>	<b>1.4</b>

## Statewide by Year

Year	Cases	Rate*	Deaths
1988	15	0.3	0
1989	40	0.8	0
1990	37	0.8	0
1991	28	0.6	0
1992	34	0.7	0
1993	50	0.9	0
1994	40	0.7	0
1995	50	0.9	0
1996	37	0.7	0
1997	30	0.5	0
1998	39	0.7	0
1999	32	0.5	0
2000	33	0.6	0
2001	23	0.4	0
2002	26	0.4	0
2003	28	0.5	0
2004	34	0.5	0
2005	19	0.3	0
2006	22	0.3	0
2007	28	0.4	0
2008	19	0.3	1
2009	15	0.2	0
2010	25	0.4	0
2011	21	0.3	0
2012	36	0.5	0
2013	34	0.5	0
2014	36	0.5	0
2015	40	0.6	0
2016	56	0.8	0
2017	81	1.1	0
2018	79	1.1	0
2019	106	1.4	0

\*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

## Appendix I: Other Tables



## Foodborne Disease Outbreaks 2019

#	Local Health Jurisdiction	Month of 1 <sup>st</sup> Illness Onset	Illness Agent	# Washington State Cases*	Total # Outbreak Cases^	Implicated Food	Contributing Factors	Setting
1	King	January	<i>Bacillus cereus</i>	4	4	Rice	C-N/A-Contributing Factors- not applicable, P2-No attempt was made to control the temperature of implicated food or the length of time food was out of temperature control (during food service or display of food), P7-Improper hot holding due to improper procedure or protocol, P8-Improper/slow cooling	Restaurant - Sit-down dining
2	King	January	<i>Grimontia hollisae</i>	2	2	Crab	C6-Contaminated raw product- food was intended to be consumed after a kill step, C7-Contaminated raw product-food was intended to be consumed raw or undercooked/under-processed	Private home/residence
3	Multistate	January	<i>Salmonella</i> Newport	4	15	Tuna	Unknown	Restaurant - other or unknown type
4	King	January	Unknown	28	28	Undetermined	C10- Bare-hand contact by a food handler/worker/preparer who is suspected to be infectious, C15-Other source of contamination	Restaurant - Sit-down dining
5	Benton	February	Norovirus	26	26	Multiple	C10- Bare-hand contact by a food handler/worker/preparer who is suspected to be infectious	Restaurant - Sit-down dining
6	Pierce	February	Norovirus	23	23	Undetermined	C11-Glove-hand contact by a food handler/worker/preparer who is suspected to be infectious, C15-Other source of contamination	Restaurant - Sit-down dining

\*In prior years, this column was labeled "Total # Cases."

^Includes cases from other states that are part of the outbreak.

#	Local Health Jurisdiction	Month of 1 <sup>st</sup> Illness Onset	Illness Agent	# Washington State Cases*	Total # Outbreak Cases^	Implicated Food	Contributing Factors	Setting
7	Pierce	February	Norovirus	74	74	Undetermined	C10- Bare-hand contact by a food handler/worker/preparer who is suspected to be infectious, C11-Glove-hand contact by a food handler/worker/preparer who is suspected to be infectious, C15-Other source of contamination	Restaurant - Sit-down dining
8	Pierce	March	Norovirus	4	4	Raw oysters	C7-Contaminated raw product-food was intended to be consumed raw or undercooked/under-processed	Restaurant - Sit-down dining
9	Grays Harbor	March	Norovirus	17	17	Cupcakes	C10- Bare-hand contact by a food handler/worker/preparer who is suspected to be infectious, C11-Glove-hand contact by a food handler/worker/preparer who is suspected to be infectious	Prison/jail
10	Multistate	March	<i>Vibrio parahaemolyticus</i>	15	15	Raw oysters	C7-Contaminated raw product-food was intended to be consumed raw or undercooked/under-processed	Restaurant - other or unknown type
11	King	April	Norovirus	31	31	Undetermined	C10- Bare-hand contact by a food handler/worker/preparer who is suspected to be infectious, C15-Other source of contamination, S5-Other process failures that permit pathogen survival	Restaurant - other or unknown type
12	King	April	Norovirus	7	7	Undetermined	C11-Glove-hand contact by a food handler/worker/preparer who is suspected to be infectious, C15-Other source of contamination	Restaurant - Sit-down dining
13	King	April	<i>Salmonella</i> Reading	1	107	Turkey	C6-Contaminated raw product- food was intended to be consumed after a kill step, P5-Improper cold holding due to an improper procedure or protocol, S1-Insufficient time and/or temperature control during initial cooking/heat processing	Other

\*In prior years, this column was labeled "Total # Cases."

^Includes cases from other states that are part of the outbreak.

#	Local Health Jurisdiction	Month of 1 <sup>st</sup> Illness Onset	Illness Agent	# Washington State Cases*	Total # Outbreak Cases^	Implicated Food	Contributing Factors	Setting
14	Multistate	May	<i>E. coli</i> O157:H7	4	4	Ground beef	Unknown	Private home/residence
15	Multistate	May	<i>Salmonella</i> Bovismorbificans	9	9	Undetermined	Unknown	Unknown
16	Pierce	May	Unknown	1	44	Undetermined	C4-Addition of excessive quantities of ingredients that are toxic in large amounts, P4-Improper cold holding due to malfunctioning refrigeration equipment, P7-Improper hot holding due to improper procedure or protocol	Restaurant - "Fast-food"
17	Pierce	May	Unknown	39	39	Undetermined	C3-Poisonous substance accidentally/inadvertently added, P5-Improper cold holding due to an improper procedure or protocol, P7-Improper hot holding due to improper procedure or protocol, P8-Improper/slow cooling	Restaurant - Buffet
18	Multistate	May	<i>Vibrio parahaemolyticus</i>	43	43	Raw oysters	C7-Contaminated raw product-food was intended to be consumed raw or undercooked/under-processed	Restaurant - Sit-down dining
19	Benton	June	Norovirus	13	13	Undetermined	C11-Glove-hand contact by a food handler/worker/preparer who is suspected to be infectious	Restaurant - Sit-down dining

\*In prior years, this column was labeled "Total # Cases."

^Includes cases from other states that are part of the outbreak.

#	Local Health Jurisdiction	Month of 1 <sup>st</sup> Illness Onset	Illness Agent	# Washington State Cases*	Total # Outbreak Cases^	Implicated Food	Contributing Factors	Setting
20	Clark	July	Multiple non-Shiga toxin-producing <i>E. coli</i>	1	30	Pulled pork	C6-Contaminated raw product- food was intended to be consumed after a kill step, C9-Cross-contamination of ingredients (cross-contamination does not include ill food workers), P2-No attempt was made to control the temperature of implicated food or the length of time food was out of temperature control (during food service or display of food), P8-Improper/slow cooling, S1-Insufficient time and/or temperature control during initial cooking/heat processing, S2-Insufficient time and/or temperature during reheating	Caterer
21	Spokane	July	Norovirus	14	14	Multiple	C11-Glove-hand contact by a food handler/worker/preparer who is suspected to be infectious, C12-Other mode of contamination (excluding cross-contamination) by a food handler/worker/preparer who is suspected to be infectious, C15-Other source of contamination, S4-Insufficient or improper use of chemical processes designed for pathogen destruction	Restaurant - Sit-down dining
22	Multistate	July	<i>Salmonella</i> Berta	3	10	Pork	Unknown	Restaurant - Sit-down dining
23	Multistate	August	<i>E. coli</i> O26:H11	9	9	Spinach	Unknown	Restaurant - other or unknown type

\*In prior years, this column was labeled "Total # Cases."

^Includes cases from other states that are part of the outbreak.

#	Local Health Jurisdiction	Month of 1 <sup>st</sup> Illness Onset	Illness Agent	# Washington State Cases*	Total # Outbreak Cases^	Implicated Food	Contributing Factors	Setting
24	Benton	August	Norovirus	7	7	Undetermined	C10- Bare-hand contact by a food handler/worker/preparer who is suspected to be infectious, C11-Glove-hand contact by a food handler/worker/preparer who is suspected to be infectious, C13- Foods contaminated by non-food handler/worker/preparer who is suspected to be infectious, C15-Other source of contamination, S4- Insufficient or improper use of chemical processes designed for pathogen destruction	Long-term care facility
25	Multistate	August	<i>Salmonella</i> Dublin	42	42	Ground beef	C6-Contaminated raw product- food was intended to be consumed after a kill step	Private home/residence
26	Multistate	August	<i>Salmonella</i> Enteritidis	2	2	Undetermined	C9-Cross-contamination of ingredients (cross-contamination does not include ill food workers)	Restaurant - Sit-down dining
27	Multistate	September	<i>E. coli</i> O157:H7	16	16	Romaine lettuce	Unknown	Restaurant - "Fast-food"
28	King	September	Norovirus	3	3	Undetermined	C11-Glove-hand contact by a food handler/worker/preparer who is suspected to be infectious	Restaurant - Sit-down dining
29	King	October	Norovirus	52	52	Undetermined	Unknown	Restaurant - Sit-down dining
30	Pierce	October	Norovirus	1	9	Undetermined	C10- Bare-hand contact by a food handler/worker/preparer who is suspected to be infectious, C15-Other source of contamination	Restaurant - "Fast-food"
31	Stevens	November	<i>Campylobacter</i> spp.	3	3	Raw Milk	C7-Contaminated raw product-food was intended to be consumed raw or undercooked/under-processed	Farm/dairy

\*In prior years, this column was labeled "Total # Cases."

^Includes cases from other states that are part of the outbreak.

#	Local Health Jurisdiction	Month of 1 <sup>st</sup> Illness Onset	Illness Agent	# Washington State Cases*	Total # Outbreak Cases^	Implicated Food	Contributing Factors	Setting
32	King	November	<i>E. coli</i> O157:H7	12	12	Romaine lettuce	C7-Contaminated raw product-food was intended to be consumed raw or undercooked/under-processed, C8-Foods originating from sources shown to be contaminated or polluted (such as a growing field or harvest area)	Restaurant - "Fast-food"
33	King	November	Norovirus	21	21	Undetermined	Unknown	Restaurant - Sit-down dining
34	King	November	Norovirus	7	7	Undetermined	C11-Glove-hand contact by a food handler/worker/preparer who is suspected to be infectious, C12-Other mode of contamination (excluding cross-contamination) by a food handler/worker/preparer who is suspected to be infectious	Restaurant - Sit-down dining
35	Multistate	November	<i>Salmonella</i> Javiana	4	4	Mixed cut fruit	C-N/A-Contributing Factors- not applicable, P1-Food preparation practices that support proliferation of pathogens (during food preparation), P5-Improper cold holding due to an improper procedure or protocol	Distributed product
36	King	November	Scombroid toxin	2	2	Albacore Tuna	C1-Toxic substance part of tissue	Restaurant - Sit-down dining
37	Kitsap	December	<i>Giardia</i> spp.	11	59	Raw oysters	C7-Contaminated raw product-food was intended to be consumed raw or undercooked/under-processed, C8-Foods originating from sources shown to be contaminated or polluted (such as a growing field or harvest area), C14- Storage in contaminated environment	Restaurant - Sit-down dining

\*In prior years, this column was labeled "Total # Cases."

^Includes cases from other states that are part of the outbreak.

#	Local Health Jurisdiction	Month of 1 <sup>st</sup> Illness Onset	Illness Agent	# Washington State Cases*	Total # Outbreak Cases^	Implicated Food	Contributing Factors	Setting
38	Snohomish	December	Norovirus	1	13	Undetermined	C11-Glove-hand contact by a food handler/worker/preparer who is suspected to be infectious, C13- Foods contaminated by non-food handler/worker/preparer who is suspected to be infectious, C15-Other source of contamination, S4-Insufficient or improper use of chemical processes designed for pathogen destruction,	Restaurant - Sit-down dining
39	King	December	Norovirus	1	23	Multiple	C7-Contaminated raw product-food was intended to be consumed raw or undercooked/under-processed, C9-Cross-contamination of ingredients (cross-contamination does not include ill food workers), C15-Other source of contamination, S4-Insufficient or improper use of chemical processes designed for pathogen destruction	Restaurant - Sit-down dining
40	Skagit	December	Norovirus	6	172	Undetermined	C11-Glove-hand contact by a food handler/worker/preparer who is suspected to be infectious, C15-Other source of contamination, S4-Insufficient or improper use of chemical processes designed for pathogen destruction	Restaurant - Sit-down dining
41	Franklin	December	Unknown	1	165	Undetermined	C11-Glove-hand contact by a food handler/worker/preparer who is suspected to be infectious, C15-Other source of contamination	Restaurant - "Fast-food"

\*In prior years, this column was labeled "Total # Cases."

^Includes cases from other states that are part of the outbreak.

## Foodborne Outbreaks 1986-2019

Year	Cases	Outbreaks
1986	346	58
1987	311	51
1988	545	55
1989	531	51
1990	665	34
1991	1,154	47
1992	740	53
1993	1,301	130
1994	1,462	151
1995	909	138
1996	695	124
1997	810	108
1998	706	60
1999	1,164	93
2000	938	66
2001	574	69
2002	704	56
2003	620	55
2004	679	58
2005	390	42
2006	677	51
2007	722	43
2008	564	46
2009	307	27
2010	344	37
2011	371	30
2012	552	27
2013	437	37
2014	432	45
2015	505	36
2016	543	49
2017	1,016	66
2018	549	62
2019	564	41



## Haemophilus influenzae 2010-2019

### H. influenzae Cases Among Children <5 Years Old by Serotype, Washington State, 2010-2019

Year	Number of cases	No specimen available (n)	Case was serotyped (n)	Serotyping results			
				Serotype b (n)	Other serotypes (n)	Not typeable (n)	Vaccine-preventable (Serotype b) (%)
2010	10	0	10	0	3	7	0
2011	8	0	8	1	3	4	13
2012	4	0	4	1	1	2	25
2013	11	0	11	2	2	7	18
2014	9	0	9	4	2	3	45
2015	5	0	5	1	2	2	20
2016	9	1	8	1	2	5	13
2017	7	0	7	1	3	3	14
2018	13	0	13	4	7	2	31
2019	16	0	16	0	4	12	0
<b>Total</b>	<b>92</b>	<b>1</b>	<b>91</b>	<b>15</b>	<b>29</b>	<b>47</b>	<b>16</b>

## Meningococcal Disease (Invasive)

### Meningococcal Disease Cases by Serogroup, Washington State, 2010-2019

Year	Number of cases	No specimen available (n)	Case was serogrouped (n)	Serogrouping results						
				Group B (n)	Group C (n)	Group Y (n)	Group W135 (n)	Other/Non-Groupable (n)	Vaccine-preventable	
									MenACWY (%)	MenB (%)
2010	29	2	27	7	7	12	1	0	74	26
2011	22	0	22	12	2	7	1	0	45	55
2012	24	0	24	9	4	8	0	3	50	38*
2013	20	3	17	9	2	3	2	1	41	53
2014	17	0	17	6	5	4	1	1	59	35
2015	10	0	10	3	4	1	2	0	70	30
2016	13	1	12	3	6	1	1	1	67	25
2017	11	0	11	3	6	0	0	2	55	27
2018	21	0	21	5	13	1	0	2	67	24
2019	14	0	14	1	6	3	2	2	79	7
<b>Total</b>	181	6	175	58	55	40	10	12	60	33

\* Data updated since the 2012 Annual Report

## Highly Antibiotic Resistant Organism Surveillance 2012-2019

### Carbapenemase-producing Carbapenem-resistant Enterobacterales (CRE) Cases by Genus, Washington State, 2012-2019

Genus	Carbapenamase <sup>^</sup>	2012	2013	2014	2015	2016	2017	2018	2019
<i>Enterobacter</i> spp.*	IMP	0	1	0	0	0	0	0	0
	KPC	0	0	1	1	2	1	2	5
	NDM	0	0	0	0	2	4	0	3
<i>Escherichia</i> spp.	KPC	0	1	0	1	1	1	0	2
	NDM	0	2	2	3	5	5	7	5
	OXA-48	0	0	1	2	4	1	3	2
<i>Klebsiella</i> spp.	IMP	0	1	0	0	0	0	0	0
	KPC	1	3	13	5	3	10	9	10
	NDM	0	1	2	0	2	1	4	2
	OXA-48	0	0	2	4	1	1	5	1
	VIM	0	0	0	0	0	0	1	0
<b>Year total</b>		<b>1</b>	<b>9</b>	<b>21</b>	<b>16</b>	<b>20</b>	<b>24</b>	<b>31</b>	<b>30</b>

\*spp.: species

<sup>^</sup>KPC: *Klebsiella pneumoniae* carbapenemase

NDM: New Delhi metallo- $\beta$ -lactamase

OXA-48: Oxacillin-hydrolyzing  $\beta$ -lactamase-48

VIM: Verona integron-encoded metallo- $\beta$ -lactamase

IMP: Imipenem-hydrolyzing  $\beta$ -lactamase

## Rabid Non-Bat Animals and Rabies Strains in Washington 1987-2019

Year	Animal type (County)	Rabies strain
2015	Cat (Jefferson)	Bat-variant
2002	Cat (Walla Walla)	Bat-variant
1994	Llama (King)	Bat-variant
1992	Horse (Franklin)	Unknown
1987	Dog (Pierce)*	Unknown, but history of bat exposure

\*Infection was not confirmed at Centers for Disease Control and Prevention.

## Washington State Bats Tested for Rabies 2015-2019

County	2015		2016		2017		2018		2019		Total	
	Positive	Total	Positive	Total	Positive	Total	Positive	Total	Positive	Total	Positive	Tested
Adams	0	0	0	6	0	1	0	0	0	2	0	9
Asotin	0	0	0	0	0	0	0	0	0	0	0	0
Benton	0	2	0	3	0	0	2	2	0	3	2	10
Chelan	0	8	3	17	1	11	9	75	0	3	13	114
Clallam	0	4	0	0	0	7	0	6	0	5	0	22
Clark	1	16	1	15	1	10	0	16	0	11	3	68
Columbia	0	0	0	0	0	0	0	0	0	0	0	0
Cowlitz	0	7	0	16	0	10	0	8	2	10	2	51
Douglas	0	0	0	0	0	1	2	25	0	0	2	26
Ferry	0	0	1	1	0	0	0	0	0	0	1	1
Franklin	0	1	0	0	0	0	0	1	0	0	0	2
Garfield	0	0	0	0	0	0	0	0	0	0	0	0
Grant	0	2	1	4	0	2	0	7	0	1	1	16
Grays	0	5	0	3	0	3	0	2	0	4	0	17
Island	0	12	0	5	0	18	0	12	0	7	0	54
Jefferson	0	8	0	6	0	7	1	11	0	2	1	34
King	2	65	3	52	8	78	10	102	1	73	24	370
Kitsap	0	20	1	23	0	27	2	37	0	18	3	125
Kittitas	0	3	0	0	0	3	0	4	0	0	0	10
Klickitat	0	3	0	0	1	5	1	3	0	1	2	12
Lewis	0	7	2	16	1	18	2	26	1	11	6	78
Lincoln	0	0	0	0	0	0	0	0	0	0	0	0
Mason	2	8	1	8	0	5	0	7	0	5	3	33
Okanogan	0	1	0	0	0	1	0	0	0	1	0	3
Pacific	1	4	0	4	0	7	0	5	0	7	1	27
Pend Oreille	0	0	0	0	0	0	0	2	0	0	0	2
Pierce	0	8	1	16	2	25	0	23	0	12	3	84
San Juan	0	3	0	2	0	1	0	2	0	4	0	12
Skagit	0	7	0	5	0	9	0	10	0	4	0	35
Skamania	0	2	0	0	0	0	0	0	0	0	0	2
Snohomish	1	25	0	15	3	37	1	44	2	16	7	137
Spokane	1	34	3	44	5	31	3	27	0	16	12	152
Stevens	0	7	0	4	0	3	2	5	0	9	2	28
Thurston	1	17	1	16	0	33	2	28	1	15	5	109
Wahkiakum	0	2	0	0	0	0	0	0	0	1	0	3
Walla Walla	0	1	0	1	0	0	1	3	0	1	1	6
Whatcom	0	15	2	14	0	21	2	35	1	10	5	95
Whitman	0	5	0	2	0	1	0	1	0	1	0	10
Yakima	0	3	0	0	0	1	0	2	1	2	1	8
<b>Total</b>	<b>9</b>	<b>305</b>	<b>20</b>	<b>298</b>	<b>22</b>	<b>376</b>	<b>40</b>	<b>531</b>	<b>9</b>	<b>255</b>	<b>100</b>	<b>1,765</b>

## Washington State Animals Tested for Rabies 1988-2019

Year	Bat	Cat	Dog	Ferret	Raccoon	Skunk	Rodent	Lagomorph	Other Wild	Other Domestic	Total
1988	69 (4)	165	110	15	16	3	12	2	5	3	400 (4)
1989	102 (9)	124	91	20	9	4	8	1	9	4	372 (9)
1990	63 (4)	104	82	5	7	5	5	1	14	4	290 (4)
1991	90 (9)	105	96	13	8	3	13	0	19	2	349 (9)
1992	73 (6)	132	90	16	14	2	12	0	14	6 (1)*	359 (7)
1993	68 (1)	122	95	8	4	8	16	2	10	13	346 (1)
1994	58 (14)	105	90	7	4	3	15	0	16	14 (1)^	312 (15)
1995	263 (15)	140	114	12	8	1	23	3	15	18	597 (15)
1996	257 (13)	104	101	8	9	2	14	3	20	12	530 (13)
1997	780 (51)	155	118	7	17	4	15	2	18	11	1,127 (51)
1998	447 (27)	126	109	8	11	1	6	0	19	16	743 (27)
1999	334 (25)	103	71	3	11	3	8	1	14	13	561 (25)
2000	330 (23)	105	60	1	2	4	6	1	9	4	522 (23)
2001	263 (22)	111	93	2	3	1	8	0	4	5	490 (22)
2002	186 (12)	99 (1)	53	7	2	2	9	1	8	9	376 (13)
2003	229 (23)	137	72	0	11	1	4	1	9	10	474 (23)
2004	311 (20)	141	70	3	13	6	11	0	6	10	571 (20)
2005	245 (15)	132	66	3	12	2	5	1	10	4	480 (15)
2006	273 (15)	105	70	4	13	1	2	1	8	5	482 (15)
2007	315 (22)	132	97	1	16	3	5	0	9	3	581 (22)
2008	337 (17)	143	76	1	10	2	5	1	9	11	595 (17)
2009	311 (14)	133	90	1	12	5	4	1	7	9	573 (14)
2010	200 (14)	103	63	0	14	1	6	1	9	10	407 (14)
2011	204 (11)	87	51	1	9	1	2	0	8	5	368 (11)
2012	221 (9)	98	54	2	7	0	4	0	7	9	402 (9)
2013	284 (12)	80	65	0	13	0	3	0	5	9	459 (12)
2014	276 (15)	75	53	0	12	0	1	1	6	11	435 (15)
2015	305 (9)	95 (1)	49	0	8	2	8	0	11	7	485 (10)
2016	298 (20)	108	44	0	5	0	4	1	3	3	466 (20)
2017	376 (22)	81	48	0	8	1	4	0	2	5	525 (22)
2018	531 (40)	84	44	0	4	0	2	0	2	8	675 (40)
2019	255 (9)	65	23	0	2	0	2	0	3	7	357 (9)
<b>Total</b>	<b>8,354 (522)</b>	<b>3,599 (2)</b>	<b>2,408</b>	<b>148</b>	<b>294</b>	<b>71</b>	<b>242</b>	<b>25</b>	<b>308</b>	<b>260 (2)</b>	<b>15,709 (526)</b>

\*Horse

^ Llama

Lagomorphs include: rabbit, hare, and pika.

Rodents include: beaver, chinchilla, chipmunk, degu, gerbil, gopher, hamster, marmot, mouse, muskrat, nutria, porcupine, prairie dog, rat, squirrel, vole, and woodchuck.

Skunks include: all species of the Mephitidae family and are not identified to species level.

Other domestic include: alpaca, burro, cattle, goat, horse, llama, mule, pig, sheep, and (captive) zebra.

Other wild include: badger, bear, bison, bobcat, cougar, coyote, deer, fox, kinkajou, lynx, marten, mink, mole, nonhuman primate, ocelot, opossum, otter, seal, shrew, sugar glider, weasel, wolf, wolf-hybrid, zorilla (striped polecat).

Species identification: bats are identified to species level using morphological identification keys; all other species are not formally identified unless rabies virus positive.

Numbers reported through 2007 were inclusive of positive and negative test results; beginning in 2008 all specimens submitted (i.e., including unsatisfactory results) are included in counts.

## Rare Diseases of Public Health Significance 2016-2019

All cases acquired through travel, unless otherwise noted.

Case counts are subject to change since cases are often reported late.

Rare Disease	2016	2017	2018	2019
Amoebic meningitis	0	1 <sup>E</sup>	0	0
Anaplasmosis	0	1	0	1
Babesiosis	0	1	0	1
<i>Burkholderia</i> infection	0	2	0	0
Chagas	1	0	0	3
Coccidioidomycosis	40 (2 <sup>E</sup> )	69 (2 <sup>E</sup> , 9 <sup>U</sup> )	63 (3 <sup>E</sup> , 14 <sup>U</sup> )	62 (7 <sup>U</sup> )
Cryptococcosis (by <i>Cryptococcus gattii</i> )	5 (2 <sup>E</sup> , 3 <sup>U</sup> )	1 <sup>E</sup>	4 (1 <sup>E</sup> , 3 <sup>U</sup> )	2 (1 <sup>E</sup> , 1 <sup>U</sup> )
Histoplasmosis	2 (1 <sup>U</sup> )	1	0	1 <sup>U</sup>
Spotted fever rickettsiosis	0	5	3 (1 <sup>U</sup> )	4 (1 <sup>E</sup> )
Tick paralysis	1 <sup>E</sup>	0	2 <sup>E</sup>	2 <sup>E</sup>
Typhus	0	1	0	0

<sup>E</sup> Endemically acquired

<sup>U</sup> Unknown exposure location

## Waterborne Disease Outbreaks 1992-2019

Excluding spa-associated folliculitis outbreaks and illness outbreaks associated with harmful algal blooms.

Year	Agent	Water Type	County	Cases
1992	Hepatitis A	Drinking	Klickitat	10
1993	Norovirus	Recreational – Untreated	Thurston	604
	<i>Cryptosporidium</i>	Drinking	Yakima	7
	<i>Giardia</i>	Recreational – Untreated	Clark	6
1994	<i>Cryptosporidium</i>	Recreational – Untreated	Yakima	4
	<i>Cryptosporidium/Giardia</i>	Drinking	Walla Walla	86
1995	<i>Giardia</i>	Drinking	Yakima	87
1996	<i>Cryptosporidium</i>	Drinking	Yakima	18
1997	STEC	Drinking	Yakima	2
1998	Suspect viral	Recreational – Untreated	Kitsap	248
	Suspect viral	Recreational – Untreated	Snohomish	58
	Unknown	Drinking	Klickitat	6
1999	Unknown	Drinking	Lincoln	46
	<i>E. coli</i> O157:H7	Recreational – Untreated	Clark	36
	Suspect viral	Drinking	Spokane	68
2003	<i>Campylobacter</i>	Drinking	Walla Walla	110
2007	Suspect viral	Drinking	Okanogan	32
	<i>Cryptosporidium</i>	Recreational – Untreated	Clark	12
	<i>Cryptosporidium</i>	Recreational – Treated	Whatcom	14
2011	<i>Legionella</i>	Drinking	Spokane	3
2012	<i>Shigella sonnei</i>	Recreational – Untreated	Clark	3
2013	Norovirus	Recreational – Treated	King	11
2014	Norovirus	Recreational – Untreated	Kitsap	260+
	Norovirus	Recreational – Untreated	Clark	20
2015	<i>Legionella</i>	Drinking	Thurston	3
	<i>Legionella</i>	Other (cooling tower)	Chelan	10
2016	Norovirus	Recreational – Treated	King	17
	<i>Legionella</i>	Drinking	King	4
2017	<i>Legionella</i>	Unknown	King	2
	<i>Legionella</i>	Recreational – Treated	Benton-Franklin	3
	<i>Legionella</i>	Recreational – Treated	Yakima	2
2018	Swimmer's Itch (cercarial dermatitis)	Recreational – Untreated	Adams	3
	Norovirus	Recreational – Untreated	Kitsap	156
	<i>Shigella sonnei</i>	Recreational – Untreated	Clark	19
2019	(none)			



## Appendix II: Influenza Summary

The Department of Health (DOH), in collaboration with health care providers, laboratories, local health jurisdictions, and the Centers for Disease Control and Prevention (CDC), performs surveillance for influenza using several different systems. Laboratory-confirmed influenza-associated deaths and suspected and confirmed influenza outbreaks are reportable to the local health jurisdiction and in turn reportable to DOH. Novel or unsubtypeable influenza is immediately notifiable to DOH.

The purpose of influenza surveillance and reporting is to assist health care providers with treatment decisions by tracking the geographic spread of influenza activity, estimating influenza-related mortality, monitoring the epidemiology of severe influenza infection, and detecting emerging threats such as avian and other novel influenza strains.

Current and historic summaries of influenza activity in Washington State can be found on the [DOH Influenza Surveillance Data page](#).

# Appendix III: State Demographics

## Washington State Population Estimates 1985-2019

<b>Year</b>	<b>Estimate</b>	<b>Year</b>	<b>Estimate</b>
1985	4,415,785	1986	4,462,212
1987	4,527,098	1988	4,616,886
1989	4,728,077	1990	4,866,692
1991	5,021,335	1992	5,141,177
1993	5,265,688	1994	5,364,338
1995	5,470,104	1996	5,567,764
1997	5,663,763	1998	5,750,033
1999	5,830,835	2000	5,894,143
2001	5,970,330	2002	6,059,316
2003	6,126,885	2004	6,208,515
2005	6,298,816	2006	6,420,258
2007	6,525,086	2008	6,608,245
2009	6,672,159	2010	6,724,540
2011	6,767,900	2012	6,817,770
2013	6,882,400	2014	6,968,170
2015	7,061,410	2016	7,183,700
2017	7,310,300	2018	7,427,570
2019	7,546,410		

State of Washington Office of Financial Management April 1, 2019 [Population Trends](#).

Accessed 11/18/2020

## Washington State Population Estimates by County 2019

County	Estimate	County	Estimate	County	Estimate
Adams	20,150	Asotin	22,520	Benton	201,800
Chelan	78,420	Clallam	76,010	Clark	488,500
Columbia	4,160	Cowlitz	108,950	Douglas	42,820
Ferry	7,830	Franklin	94,680	Garfield	2,220
Grant	98,740	Grays Harbor	74,160	Island	84,820
Jefferson	31,900	King	2,226,300	Kitsap	270,100
Kittitas	46,570	Klickitat	22,430	Lewis	79,480
Lincoln	10,960	Mason	64,980	Okanogan	42,730
Pacific	21,640	Pend Oreille	13,740	Pierce	888,300
San Juan	17,150	Skagit	129,200	Skamania	12,060
Snohomish	818,700	Spokane	515,250	Stevens	45,570
Thurston	285,800	Wahkiakum	4,190	Walla Walla	62,200
Whatcom	225,300	Whitman	50,130	Yakima	255,950

**State Total:** 7,546,410

State of Washington Office of Financial Management April 1, 2019 [Population Trends](#).

Accessed 11/18/2020

## Washington State Population by Age and Sex 2019

Age (years)	Male	Female	Total
0-4	232,006	221,545	453,551
5-9	243,194	232,386	475,580
10-14	245,453	233,443	478,896
15-19	237,183	226,898	464,081
20-24	251,872	240,789	492,661
25-29	276,066	263,549	539,615
30-34	267,559	254,920	522,479
35-39	265,528	255,965	521,493
40-44	234,902	230,158	465,060
45-49	237,462	233,103	470,565
50-54	231,583	229,655	461,238
55-59	245,140	250,514	495,654
60-64	233,274	245,861	479,135
65-69	200,223	218,890	419,113
70-74	155,859	171,858	327,717
75-79	99,156	112,910	212,066
80-84	58,245	72,451	130,696
85+	51,450	85,360	136,810
<b>Total</b>	<b>3,766,155</b>	<b>3,780,255</b>	<b>7,546,410</b>

State of Washington Office of Financial Management April 1, 2019 [Population Trends](#).

Accessed 11/18/2020



